

14-1

# INDEX MAPS.

**T.11N R.2W 2<sup>nd</sup> Mer.**

Meandering 436

	400	400.	399-401	399-401	399-401	399-402						
404	6	409	5	415	4	420	3	426	2	435	1	398
	409		414		420		425		434		434	
403	7	408	8	414	9	419	10	425	11	433	12	398
	408		414		419		424		432		433	
403	18	407	17	413	16	419	15	424	14	432	13	398
	407		413		418		423		431		432	
403	19	406	20	412	21	418	22	423	23	430	24	397
	406		412		417		422		429		429	
402	30	405	29	411	28	417	27	422	26	428	25	397
	404-405		410		416		422		427		428	
402	31	404	32	409	33	415	34	421	35	426	36	396
	395		395	396	396	393-394	393-394	393-394	393-394	393-395		

**T.12N R.2W 2<sup>nd</sup> Mer.**

	453	453	452-454	452-454	452-454	452-455						
457	6	5	477	4	472	3	467	2	462	1	451	
		Vol. 3. See for index		476		471		466		461		
456	7		8	476	9	471	10	466	11	460	12	451
				474		470		465		460		
456	18		17	474	16	470	15	465	14	460	13	451
				474		469		464		459		
456	19	20	474	21	469	22	464	23	459	24	450	
			474		469		463		458			
455	30	29	473	28	468	27	463	26	458	25	450	
	478	478	473		468		463		457			
455	31	477	32	472	33	467	34	462	35	457	36	450
	448	448	447-449	447-449	447-449	447-449	447-450					

(F) The figures on the lines refer to the page.

Township N. 11. North of Range N. 2 West of the 2<sup>nd</sup> Mer. Ind.

Ch. lks.

South Boundary.

2.9

West On a Random line on the South Boundary of Sec. 36, T. N. 11  
N. R. N. 27. 2<sup>nd</sup> Mer. Indiana

3.00 To a Brook 30 lks wide; Course N.W.

22.50 " " Brook 10 " " " " N.

40.00 Set a temporary post for the cor. of  $\frac{1}{4}$  Sec.

80.00 Set a temporary post for the cor. of Sec. 35 & 36 T. N. 11  
N. R. N. 27. Land hilly and middling good for  
farming; Timber Beech, Sugar, Ash, and Hickory

West On a Random line on the South Boundary of Sec. 35  
T. N. 11. N. R. N. 27. 2<sup>nd</sup> Mer. (Ind.)

40.00 Set a temporary post for the cor. of  $\frac{1}{4}$  Sec.

80.00 Set a temp<sup>y</sup> post for the cor. of Sec. 34 & 35 T. N.  
11. N. R. N. 27. Land rolling rich and good for  
farming. Timber Beech, Sugar, Poplar, Ash & Walnut

Saturday May 21<sup>st</sup> 1819

West On a Random line on the South Boundary of Sec. 34  
T. N. 11. N. R. N. 27. 2<sup>nd</sup> Mer. Ind.

8.00 To a Brook 6 miles wide, Course N.W.

40.00 Set a temp<sup>y</sup> post for the cor. of  $\frac{1}{4}$  Sec.

70.00 To a Brook 8 miles wide; Course N.W.

79.00 " " " 4 " " " " " "

80.00 Set a temp<sup>y</sup> post for the cor. of Sec. 33 & 34, T. N. 11.  
N. R. N. 27. 2<sup>nd</sup> Mer. Ind.

East  $\frac{1}{2}$  mile same as in the last mile; West  $\frac{1}{2}$  rather  
broken; Timber same, rich soil.

West On a Random line On the South Boundary of Sec. 33  
T. N. 11. N. R. N. 27.

40.00 Set a temp<sup>y</sup> post for the cor. of  $\frac{1}{4}$  Sec.

47.61 Intersected the N.E. Boundary line of Harvins

T. N. 11. N. R. N. 2 W. 2<sup>nd</sup> Mer. Ind<sup>o</sup>

Purchase 11.85 links South of the Old Cor. post  
Land similar to the last mile. East part rather  
broken.

East	On a true line, on the South Boundary of Sec. 33. T. N. 11. N. R. N. 2 W. Var. 5° 07'
2.00	To a Spring branch; Course N.E.
7.61	Set the 1/2 mile post for the cor. of the 1/4 Sec. on the true line from which a Buck 18 in. dia bears N 87.38 W. 38 p. dist; & a do 18 " " " S 24.77 W. 26 " "
17.00	To a Brook 10 links wide; Course N.
47.61	Set a post for the cor. of Sec. 33. & 34 T. N. 11 N. R. 2 W from which a Buck 6 in. dia bears N 65 W. 19 p. dist and a do 10 " " " N 4 E. 29 " "

East	On a true line on the South Boundary of Sec. 34. T. N. 11. N. R. N. 2 W.
40.00	Set a post for the cor. of the 1/4 Sec. on the true line from which a Buck 27 in. dia. bears S 36 W. 33 p. dist and a Sugar 10 " " " N 31 E. 27 " "
80.00	Set the temporary post on the true line for the cor. of Sec. 34. & 35. T. N. 11 N. R. N. 2 W. from which a Oak 30 in. dia. bears N 74 W. 16 links dist; and a Poplar 36 " " " S 85 E. 29 " "

East	On a true line On the South Boundary of Sec. 35. T. N. 11. N. R. N. 2 W.
80.00	To a Brook 10 links wide; Course N.W.
40.00	Set the temporary 1/2 mile post on the true line for the Cor. to the 1/4 Sec. from which a Buck 12 in. dia. bears S 32 E. 21 links dist; & a do 8 " " " N 70 W. 18 " "



395

T. No. 11. N.R. No. 27. 2<sup>nd</sup> Mer. Ind.

80.00	Set the temporary post on the true line for the cor. to sec. 35 & 36. T. No. 11. N.R. No. 27. From which a Beech 14 in. dia. bears N 39 W. 28 links dist; & a do 10 " " " S 82 E. 31 " "
East	On a true line on the South Boundary of sec. 36. T. No. 11. N.R. No. 27.
40.00	Set the temporary post on the true line for the cor. to the $\frac{1}{4}$ sec. from which a — 18 in. dia. bears N 85 W. 19 links dist; & a Wick 9 " " " S 69 E. 27 " "
80.00	Intersected the N & S Range line between Ranges 1 & 2 4.89 ch. North of the temporary 6 mile post and set post for the cor. of sec. 1. E. 31 & 36. T. No. 10 & 11. N. R. No. 1 & 2 West from which a Beech 12 in dia. bears S 76 E. 25 links dist; & a do 12 " " " S 59 W. 55. " " Surveyed by William Harris L.S.
East	On a true line on the South Boundary of sec. 31. T. No. 11. N.R. No. 27. B 176.
40.00	Set a post for the cor. of $\frac{1}{4}$ sec. from which a Walnut 20 in. dia. bears S 62 E. 21 links dist; & a Hackberry 14 " " " N 41 W. 47 " "
80.00	Set a post for the cor. of sec. 31 & 32. T. No. 11. N.R. No. 27. from which a Sugar. 12 in dia. bears S 62 E. 19 links dist; and a Walnut 16 " " " N 69 W. 27 " " Sound River Bottom.
East	On a true line on the South Boundary of sec. 32. T. No. 11. N.R. No. 27.

T. N<sup>o</sup> 11. N. R. N<sup>o</sup> 2 W. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>

40.00	Set a post for the cor. of the 1/4 sec. from which a Hackberry 14 in. dia bears S 61 <sup>W</sup> 17 links dist; and a W. Oak, 6 " " " S 49 <sup>E</sup> 41. " "
49.54	To White River corner S.E. The river was high and we saw no farther [and it seems you set no post and took no bearings]
Surveyed by James Holmes.	

East	On the South Boundary of sec. 32, T. N <sup>o</sup> 11. N. R. N <sup>o</sup> 2 W.
40.00	To the Old Post. R. 39.
49.54	To the White River, Left Bank. a Sycamore 18 in dia stands for the corner.
80.00	Set a post for the cor. of sec. 32, 33. T. N <sup>o</sup> 11. N. R. 2 W. No bearings

East	On the South Boundary of sec. 33, T. N <sup>o</sup> 11. N. R. 2 W.
29.27	Intersected the N.E. Boundary Line of Harrison Purchase and set a post for the cor. of sec. 4 & 33, T. 10. N. 11. N. R. 2 W. from which a
	Tree 10 in. dia. bears S 61 <sup>W</sup> 19 links dist; & a
	Do 14 " " " N 43 <sup>W</sup> 32 " "
	Land good for farming.
Surveyed by William Harris, L.S.	

East Boundary	
North	On the East Boundary of sec. 36, T. N <sup>o</sup> 11. N. R. N <sup>o</sup> 2 W. 2 <sup>nd</sup> Mer. Indiana Var 6.30' Q 12
13.00	To a Brook 8 links wide; corner S.W.
40.00	Set a post for the cor. of 1/4 sec. from which a Hick. 24 in. dia bears North 26 <sup>W</sup> dist; & a
	Tree 18 " " " S. 28 <sup>W</sup> 30 " "
80.00	Set a post for the cor. of sec. 25 & 36, T. 10 N. R. 2 W.

T. N. 11. N. R. N. 2 W. 2<sup>nd</sup> Mer. Ind.

	<p>from which a W. Oak 12 in. dia. bears S47 E. 9 lks dist;          and a W. Oak 30 " " " N34 E. 19 " "          Land very broken and hilly, Soil rich. Timber          Beech, Sugar, Oak, and Hickory.</p>
North	On the East Boundary of Sec. 25. T. N. 11. N. R. 2 W.
40.00	Set a half mile post for the cor. to $\frac{1}{4}$ Sec. from which a W. Ash 12 in. dia bears S28 E. 29 links dist; & an Elm 18 " " " S87 W. 24 " "
41.00	To the Left Bank of White River and set a post from which a W. Oak 30 in. dia. bears N87 E. 3 lks. dist; and a Do 5 " " " S53 W. 21. "
48.00	To the Right Bank of White River and set a post from which a Maple 9 in. dia. bears S44 W 9 links dist; & a Box Elder 6 " " " S69 E 18 " "
80.00	Set a post for the cor. of Sec. 24. & 25 from which a Locust 10 in dia bears S50 W. 15 links dist; & an Elm 12 " " " N. 49 E. 24 " " Land on this mile river bottom 1 <sup>st</sup> rate Soil. over flows
North	On the East Boundary of Sec. 24. T. N. 11. N. R. 2 W.
11.33	To a Maple on the Right Bank of White River which stands for the cor.
32.08	To a Maple 12 in. dia. which stands for the cor. on the Right Bank of White River.
40.00	Set a post for the cor. of $\frac{1}{4}$ Sec. from which a Buckeye 10 in. dia bears S53 E. 12 links dist; & a Do 10 " " " S87 W. 20 " "
67.50	To a Bayou 50 links wide; Course W.
80.00	Set a post for the cor. of Sec. 13. & 24. from which a Hickory 9 in. dia. bears S38 E. 7 links dist; & a Do 12 " " " N23 W. 31 " "



T. N<sup>o</sup> 11. N. R. N<sup>o</sup> 2. W. 2<sup>nd</sup> Mer. Ind.

Sand soil and timber same as on the last mile.

North	On the East Boundary of Sec. 13. T. N <sup>o</sup> 11. N. R. N <sup>o</sup> 2 W.
40.00	Set a half mile post for the cor. to the $\frac{1}{4}$ Sec. from which a Beech 15 in. dia. bears N 23 W. 19 miles dist; and a Beech 8 " " " S 56 E. 16 " "
80.00	Set a post for the cor. to Sec. 12 & 13. T. N <sup>o</sup> 11. N. R. 2 W. From which a Beech 18 in. dia. bears S 19 E. 13. the dist; and a W. Ash 24 " " " N 23 W. 10 " " Sands all bottom; South $\frac{1}{2}$ rather wet; the N $\frac{1}{2}$ R. rate

North	On the East Boundary of Sec. N <sup>o</sup> 12 T. N <sup>o</sup> 11. N. R. N <sup>o</sup> 2 W.
40.00	Set a post for the cor. of the $\frac{1}{4}$ Sec. from which a Beech 24 in. dia. bears N 75 W. 27. mile dist; and a W. Ash 50 " " " S 33 E. 8 " "
59.50 (19.5?)	To a Brook 20 miles wide; course S. W.
62.00	To a Brook 20 miles wide; course S. E.
80.00	Set a post for the cor. of Sec. 1 & 12 from which a Beech 12 in. dia. bears N 75 W. 30 miles dist; & a Maple 30 " " " N 31 E. 23 " " Sands 2 <sup>nd</sup> rate bottom; part rather wet; Timber Beech, Hickory, Elm, Ash Maple &c

North	On the East Boundary of Sec. 1. T. N <sup>o</sup> 11. N. R. N <sup>o</sup> 2 W.
40.00	Set a post for the cor. of the $\frac{1}{4}$ Sec. from which a Beech 9 in. dia. bears S 69 W. 32 miles dist; and a Do 9 " " " S 48 E. 33 " "
80.00	Set a temporary post for the cor. of Sec. 1, 6, 31 & 36. Towns 11, 11, 12 & 12 N. R. 1 & 2 W. Sands South $\frac{1}{2}$ similar to the last mile; North $\frac{1}{2}$ Hilly and Broken Timber Oak, Hickory and Beech

North Boundary





T. N<sup>o</sup> 11. N.R. N<sup>o</sup> 2 W. 2<sup>nd</sup> Mer. Ind.<sup>o</sup>

80.00	Set a temporary post for the cor. of sec. 32 & 33. T. N <sup>o</sup> 12. N.R. N <sup>o</sup> 2 W. Land very rich; many snick holes; Timber Beech, Sugar, Walnut, & Poplar. Land good for farming
West	Between Sec. 5 & 32 on the South Boundary of 32 T. N <sup>o</sup> 12. N.R. N <sup>o</sup> 2 W. Omitted taking notes.
West	On a Random line on the South Boundary of sec. 31. T. N <sup>o</sup> 12. N.R. N <sup>o</sup> 2 W.
40.00	Set a temporary post for the cor. of $\frac{1}{4}$ sec.
74.16	Intersected the N & S Range Line S. 77 South of the temporary post set for the cor. of T. N <sup>o</sup> 11. 12. & 12. 12. R. 2 & 3 West. Land and soil same. East $\frac{1}{2}$ Broken with snick holes; West $\frac{1}{2}$ middling good for farming
East	On a true line on the South Boundary of sec. 31. T. N <sup>o</sup> 12. N.R. N <sup>o</sup> 2 W. <span style="float: right;">a 38</span>
34.00	Set the temporary post on the true line for the cor. to $\frac{1}{4}$ sec from which a W. Ash 9 in. dia bears S 80 E 7 links dist; and a W. Ash 30 in. dia bears S 40 W. 40 links dist;
74.00	Set the temporary post on the true line for the cor. of Sec. 31 & 32. T. N <sup>o</sup> 12. N.R. N <sup>o</sup> 2 W. from which a Beech 9 in. dia. bears N 41 W. 38 links dist; and a do 18 " " " S 47 E. 45 " "
East	On a true line, on the South Boundary of sec. 32. T. N <sup>o</sup> 12. N.R. N <sup>o</sup> 2 W.
40.00	Set the temporary post on the true line for the cor. to the $\frac{1}{4}$ . sec. from which a Beech 18 in. dia. bears N 75 W. 14 links dist; and a Beech 18 in. dia. bears N 70 E 20 links dist;
80.00	Set a post (temporary) on the true line for the cor. to sec. 32 & 33. T. N <sup>o</sup> 12. N.R. N <sup>o</sup> 2 W. from which a

	<p>Buck 14 in. dia. bears S60 E. 27 links dist; and a  B Walnut 9 " " " N20 W. 53 " "</p>
East	<p>On a true line on the South Boundary of Sec. 33. T. N. 12. N. R. N. 27.</p>
40.00	<p>Set the temporary post on the true line for the cor. to the  1/4 Sec. from which a  Sugar 24 in. dia. bears N29 W. 17 links dist; and a  do 10 " " " S33 E. 27 " "</p>
80.00	<p>Set a post (temporary) on the true line for the cor. of Sec.  33. &amp; 34. T. N. 12. N. R. N. 27. From which a  Buck 24 in. dia. bears N64 E. 12 links dist; and a  B Walnut 12 " " " N71 W. 31 " "</p>
East	<p>On a true line on the South Boundary of Sec. 34. T. N. 12.  N. R. N. 27.</p>
40.00	<p>Set the temp. post on the true line for the cor. to the 1/4  Sec. from which a  Buck 24 in. dia. bears N81 W. 23 links dist; and a  B Walnut 9 " " " S81 E. 39 " "</p>
80.00	<p>Set a post (temporary) on the true line for the cor. to Sec.  34. &amp; 35. T. N. 12. N. R. N. 27. From which a  Hickory 24 in. dia. bears N44 W. 9 links dist; and a  Buck 12 " " " S64 E. 16 " "</p>
East	<p>On a true line on the South Boundary of Sec. 35. T. N. 12.  N. R. N. 27. 2<sup>nd</sup> Mer.</p>
40.00	<p>Set the half mile post. (temporary) on the true line for the  cor. to the 1/4 Sec. from which a  Sugar 12 in. dia. bears S75 E. 11 links dist; and a  Buck 18 " " " N65 E. 21 " "</p>
80.00	<p>Set the temporary post on the true line for the cor. to the  1/4 Sec. 35 &amp; 36. T. N. 12. N. R. N. 27. From which a</p>

T. N<sup>o</sup> 11. N.R. N<sup>o</sup> 3 W. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

Buck 18 in. dia. bears S 64 E. 28 links dist; and a  
 Do 18 " " " N 35 W. 14 " "

- East On a true line on the South Boundary of Sec. 36. T. N<sup>o</sup> 12. N.R. N<sup>o</sup> 2 W.  
 40.00 Set the temporary 1/4 mile post on the true line for the cor.  
 to the 1/4 Sec. from which a  
 Buck 10 in. dia. bears S 72 W. 21 links dist; and an  
 Elm 5 " " " N 38 E. 50 " "  
 80.00 Intersected the N.E. Range line at the post set for  
 the cor. of Sec. 1. Co. 31. T. 36. T. N<sup>o</sup> 11. 11. & 12. 12. N<sup>o</sup>  
 1 & 2 W. and set a post from which a  
 Hackberry 18 in. dia. bears N 66 E. 24 links dist; and a  
 Swamp Oak 30 " " " S 76 W. 41 " "  
 Surveyed by William Harris L.S.

## West Boundary

B. 175

- North On the East Boundary of Sec. 36. T. N<sup>o</sup> 11. N.R. N<sup>o</sup> 3 W.  
 21.00 To a Brook 50 links wide; course S.W.  
 40.00 Set a post for the cor. to the 1/4 Sec. from which a  
 Hackberry 7 in. dia. bears S 1 E. 31 links dist; and an  
 Elm 14 " " " S 49 W. 29 " "  
 80.00 Set a post for the cor. of Sec. 25 & 36. T. N<sup>o</sup> 11. N.R. N<sup>o</sup> 3 W.  
 from which a Walnut 20 in. dia. bears S 39 W. 20 links dist;  
 and a W. Oak 30 " " " S 77 E. 1 " "  
 Sand rich bottom, Timber Sugar, Ash, Walnut &c

- North On the East Boundary of Sec. 25. T. N<sup>o</sup> 11. N.R. N<sup>o</sup> 3 W.  
 40.00 Set a post for the cor. of the 1/4 Sec. from which a  
 Sugar 14 in. dia. bears S 81 E. 40 links dist; and a  
 Do 16 " " " N 86 W. 12 " "  
 59.22 Intersected the N.E. Boundary of Harris's Purchase  
 and set a post for the cor. of Sec. 25. T. 11. N.R. 3 W. from which



403

T. N. 11. N. R. N. 27. 2nd Mer. Sec.

Beck 14 in. dia. bears S 34 N. 40 links dist; and a  
 Do 20 " " " N 53 E. 30 " "

Surveyed by  
 James Holmes, D.S.

North	Continued the East Boundary of Sec. 25. T. N. 11. N. R. N. 37. 2nd Mer.
20.28	Set a post for the cor. of sec. 24 & 25, T. N. 11. N. R. N. 37 from which a Sugar 14 in dia stands for the corner. Sand rich and good for farming;
North	On the East Boundary of Sec. 24, T. N. 11. N. R. N. 37
40.00	Set a post for the cor. of $\frac{1}{4}$ sec from which a Beck 6 in dia bears S 3 E. 14 links dist; and a Do 30 " " " S 88 N. 33 " "
80.00	Set a post for the cor. of sec. 13 & 24 T. N. 11. N. R. N. 37 from which a Sugar 11 in dia bears N 79 E. 17 links dist; to Sugar 30 " " " S 2 N. 34 " " Sand rolling and soil rich; excellent farming land Timber Sugar, Beck, Walnut, Ash, Elm, &c.
North	On the East Boundary of sec 13 T. N. 11. N. R. N. 37.
19.00	To a Brook 12 ties wide; course N.
40.00	Set a post for the cor. to the $\frac{1}{4}$ sec. from which a Beck - in. dia. bears S 12 E. 13 links dist; and Do 12 " " " N 65 E. 46 " "
80.00	Set a post for the cor. of sec. 12 & 13 from which a Beck 27 in. dia bears S 21 E. 30 links dist; and a Do 18 " " " N 4 E. 30 " " Sand soil and timber same as on the last mile
North	On the East Boundary of sec. 12 T. N. 11. N. R. N. 37.
40.00	Set a post for the cor. to the $\frac{1}{4}$ sec. from which a

T. No. 11. N. R. No. 2 W. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>

- Sugar 27 in. dia bears S 31 E. 11 links dist; and a  
 W. Walnut 8, " " N 67 W. 5 " "  
 73.50 To a small Brook - links wide; Course E.  
 80.00 Set a post for the cor. of Sec. 1 & 12. T. 11. N. R. 3 W. from  
 which a Beech 20 in. dia. bears N 10. W. 25 lks dist.  
 and a Do 27 " " " S E. 18 " "  
 Sand & soil and timber same as on the last mile.

- North On the East Boundary of Sec. 1. T. 11. N. R. 3 W.  
 40.00 Set a post for the cor. to the  $\frac{1}{4}$  sec. from which a  
 Beech 24 in. dia. bears S 33 E. 23 links dist; and a  
 Do 24, " " " S 54 W. 10 " "  
 71.23 To the Township corner.  
 Sand similar to the last mile.

Surveyed by

William Harris &amp; S.

## Subdivisions

- East Between Sec. 30. & 31. T. No. 11. N. R. No. 2 W.  
 12.50 To a Brook 8 links wide; Course S.  
 40.00 Set a post for the cor. to the  $\frac{1}{4}$  sec. from which a  
 Sugar 12 in. dia. bears S 30 E. 9 links dist; to a  
 Do. 12, " " " N 37 W. 9 " "  
 79.76 Intersected the N.E. Boundary line of Harrison's  
 Purchase and set a post for the cor. of fractional  
 sec. 30. & 31. from which a  
 Sugar 8 in. dia. bears S 29 W. 16 links dist; and a  
 Do. 10, " " " N 6 E. 17 " "  
 Sand rolling or rather broken with sink holes, very rich  
 soil; Timber; Beech, Sugar, Walnut Poplar; very good  
 farming lands;

- North Between Sec. 31. & 32. T. No. 11. N. R. No. 2 W.

7.00	To a small Spring branch corner S.W.
40.00	Set a post for the cor. to the 1/4 sec. from which a Hackberry 12 in. dia bears S 21 W. 7 links dist; and a Beech 9 1/2 " " N 6 E. 10 " "
79.20	Intersects the N.E. Boundary Line of Harrison's Purchase and set a post for the cor. of Grad. Section 31.132. From which a Sugar 12 in. dia bears S 42 W. 23 links dist; and a Oak 12 " " " N 5 E. 9 " " Land 1 <sup>st</sup> rate soil and good for farming
Tract line between 32.133 meeting	
North	Between Grad. Sec. 31.132 T. N <sup>o</sup> . 11. N.R. N <sup>o</sup> . 277.
79.20	Old survey; extended the line from the N.E. Boundary of Harrison's Purchase.
80.00	Set a post for the cor. of Sec. 29.30.31.132 from which a Beech 14 in. dia. bears N 61 E. 34 links dist; and a Sugar 12 " " " N 47 W. 22 " " Land 2 <sup>nd</sup> rate; timber Sugar and Spruce.
West	On a Random line between Sec. 30.131 T. N <sup>o</sup> . 11. N.R. N <sup>o</sup> . 277.
0.24	Intersected the N Boundary at a post. Land 2 <sup>nd</sup> rate.
North	Between Sec. 29. & 30. T. N <sup>o</sup> . 11. N.R. N <sup>o</sup> . 277.
19.06	To a Beech 18 in. dia. stands in the line.
40.00	Set a post for the cor. to the 1/4 sec. from which an Elm 5 in. dia. bears N 69 W. 12 links dist; and a



T. N<sup>o</sup> 11. N. R. N<sup>o</sup> 27<sup>th</sup> 2<sup>nd</sup> Mer. Ind<sup>o</sup>

- Ash 14 in. dia bears N 72 E. 10 links dist<sup>y</sup>;  
 60.54 To a Beech 17 in. dia. Stands in the line.  
 64.75 To a Brook 216 links wide; Course S. E.  
 69.00 Cut at end of same Stream  
 80.00 Set a post for the cor. of sec. 19. 20. 29. & 30 from which a  
 Beech 24 in. dia bears N 20 E. 35 links dist<sup>y</sup> and an  
 Elm 30 " " " S 80 W. 25 " "  
 Sande part level and part broken. 2<sup>nd</sup> rate. Timber  
 Sugar, Walnut, Beech, Hickory Ash, &c. undergrowth  
 Spice. &c.

- West On a Random line between Sec. 19. & 30. T. N<sup>o</sup> 11. N. R. N<sup>o</sup> 27<sup>th</sup>.  
 7.35 To a Brook. 35 links wide; Course S. E.  
 40.00 Set a temporary post for the cor. to the 1/4 sec.  
 79.78 Intersected the West Boundary 76 links N of the post  
 set for the cor. of sec. 24 & 25. T. N<sup>o</sup> 11. N. R. N<sup>o</sup> 37<sup>th</sup>.  
 Sande broken and 2<sup>nd</sup> rate; Timber, Sugar, Elm.  
 Locust, Ash, Beech &c. Undergrowth Spice

- East On a true line between Sec. 19. & 30. T. N<sup>o</sup> 11. N. R. N<sup>o</sup> 27<sup>th</sup>.  
 15.70 To a Sugar 18 in. dia Stands in the line.  
 39.89 Set the temporary post at the average distance on the  
 true line for the cor. to the 1/4 sec. from which an  
 Ash 16 in. dia bears S 32 W. 9 links dist<sup>y</sup>; and a  
 Coffea tree 8 " " " N 45 W. 25 " "  
 57.63 To a Sugar. 8 in. dia. Stands in the line  
 79.78 To the post set for the cor. to sec. 19. 20. 29. & 30.

- North Between Sec. 19. & 20. T. N<sup>o</sup> 11. N. R. N<sup>o</sup> 27<sup>th</sup>.  
 21.78 To a Beech 18 in. dia Stands in the line  
 40.00 Set a post for the cor. to 1/4 sec. from which a  
 Sugar 8 in. dia bears N 34 W. 6 links dist<sup>y</sup>; and a  
 Walnut 12 " " " N. 19 E. 11 " "

42.50	To a Stream 20 links wide; - Course S. S. W.
57.50	To a Brook 10 " " " S. E.
57.90	To an Elm 14 in dia. Stands in the line
80.00	Set a post for the cor. of sec. 17. 18. 19. & 20. from which a Bech. 12 in dia. bears S 68 W. 8 links dist; and to Sugar 14 " " " N 61 E. 10 " " Sands broken 2 <sup>nd</sup> rate; Timber Bech, Sugar & undergrowth Spice Bristle.
West	On a Random line between Sec. 18. & 19 T. N <sup>o</sup> 11. N. R. N <sup>o</sup> 27.
5.75	To a Brook 6 links wide; Course S. E.
40.00	Set a temporary post for the cor. to the 1/4 sec.
80.06	Intersected the West Boundary 15 links South of the post set for the cor. of sec. 13. & 14 T. N <sup>o</sup> 11. N. R. N <sup>o</sup> 37. Sands broken 2 <sup>nd</sup> rate; Timber Sugar Walnut, Ash Bech, Elm & underg <sup>th</sup> Spire.
East	On the true line between Sec. 18 & 19 T. N <sup>o</sup> 11. N. R. N <sup>o</sup> 27.
21.06	To a Poplar 56 in dia. Stands in the line.
40.03	At the temporary post at the average distance on the true line for the cor. to the 1/4 sec. from which a Walnut 10 in dia bears N 63 E. 9 links distant to Hack 16 " " " S 38 E. 18 " "
60.91	To an Elm 10 in dia Stands in the line.
80.06	To the post set for the cor. to sec. 17. 18. 19. & 20.
North	Between Sec. 17. & 18 in T. N <sup>o</sup> 11. N. R. N <sup>o</sup> 27.
20.32	To a Bech 22 in dia Stands in the line
40.00	Set a post for the cor. to the 1/4 sec. from which a Bech 6 in dia bears N 16 W. 14 links dist; and to Do 14 " " " S 44 E. 18 " "
66.05	To a Sugar 24 in dia Stands in the line
80.00	Set a post for the cor. to sec. 7. 8. 17. & 18 from which a

T. N. 11. N. R. N. 27. 2<sup>nd</sup> Mer Ind.

	<p>Sugar 10 in. dia. bears N 43<sup>rd</sup> 28 links dist. and a          Beech 20 " " " S 25<sup>th</sup> E. 45 " "          Lands broken &amp; 2<sup>nd</sup> rate; Timber Sugar, Beech, Walnut          Ash, Poplar &amp;c; Underg<sup>th</sup> Ash &amp; Spice</p>
West	On a Random line between Sec. 7 & 18 T. N. 11. N. R. N. 27.
40.00	Set a temporary post for the cor. to $\frac{1}{4}$ Sec.
80.28	Intersected the West Boundary 9 links South of the post set for the cor. of Sec. 12 & 13. T. N. 11. N. R. N. 27. Lands broken and 2 <sup>nd</sup> rate; Timber Sugar, Beech, Ash, Walnut, &c. Underg <sup>th</sup> Spice Pawpaw &c
East	On true line between Sec. 7 & 18 T. N. 11. N. R. N. 27.
24.46	To a Poplar 70 in. dia. stands in the line
40.14	Set the temporary post at the corr. dist. on the true line for the cor. to the $\frac{1}{4}$ Sec. from which a Beech 12 in. dia. bears N 14 <sup>th</sup> 18 links dist. and a Ho. 19 " " " S 7 <sup>th</sup> E. 17 " "
64.56	To a Sugar 20 in. dia. stands in the line.
80.28	To the post set for the Sec. 7 & 8. 17 & 18. Nov. 19 <sup>th</sup> 1819
North	Between Sec. 7 & 8 T. N. 11. N. R. N. 27.
17.05	To a Birch 10 links wide; course S. S. E.
20.44	To a Sugar 26 in. dia. stands in the line
40.00	Set a post for the cor. to the $\frac{1}{4}$ Sec. from which a Beech 23 in. dia. bears N 30 <sup>th</sup> E. 14 links dist. and a Ho. 16 " " " N 67 <sup>th</sup> 17 " "
55.11	To a Hackberry 25 in. dia. stands in the line
80.00	Set a post for the cor. to Sec. 5. 6. 7 & 8. from which a Beech 20 in. dia. bears N 50 <sup>th</sup> E. 17 links dist. & a Sugar 30 " " " N 86 <sup>th</sup> 54 " " Lands Broken and 2 <sup>nd</sup> rate; Timber Sugar, Walnut, Ash, Hackberry, Beech, &c. Underg <sup>th</sup> Spice, Ash Poplar &c



T. N. 11. N. R. N. 2 W. 2<sup>nd</sup> Mer. (Ind.)

West	On a Random line between Sect. 6 & 7. T. N. 11. N. R. N. 2 W.
40.00	Set a temporary post for the cor. to the $\frac{1}{4}$ sec.
51.80	To a Buck 8 miles mid; course S. S. E.
80.44	Intersected the West Boundary 86 miles South of the post set for the cor. of sec. 1 & 2. T. N. 11. N. R. N. 2 W. Sand broken and 2 <sup>nd</sup> rate; Timber Buck, Poplar, Ash and Sugar. &c. undergrowth Spice &c.
East	On the true line between Sect. 6 & 7. T. N. 11. N. R. N. 2 W.
16.97	To a Buck 20 mi. dist. stands in the line.
110.22	Set the temporary post at the aver. dist; in the true line for the cor. to the $\frac{1}{4}$ sec. from which a Buck 18 mi. dist. bears S 41 W. 28 miles dist; and do. 20 " " " S 47 W. 14 " "
62.69	To a Buck 26 mi. dist. stands in the line.
80.44	To the post set for the cor. of sec. 5, 6, 7 & 8.
North	Between Sect. 5 & 6. T. N. 11. N. R. N. 2 W.
22.82	To a Sugar. 16 mi. dist. stands in the line.
40.00	Set a post for the cor. to the $\frac{1}{4}$ sec. from which a Sugar 10 mi. dist. bears N 55 E. 15 miles dist; and a Buck 28 " " " S 16 W. 43 " "
56.01	To a Sugar 19 mi. dist. stands in the line.
71.77	Intersect the N Boundary 7.00 ch. East of the post set for the cor. of sec. 31 & 32. T. N. 12. N. R. N. 2 W. and set a post for the cor. of sec. 5 & 6 from which a Buck 20 mi. dist. bears West. 50 miles dist; &c do. 21 " " " S 52 E. 61 " "
	Sand Broken and 2 <sup>nd</sup> rate; Timber Buck, Ash, Hickory &c. undergrowth Spice &c.
North	Between Sect. 32 & 33. T. N. 11. N. R. N. 2 W.
	Set a post in the N.E. Boundary of Harrison's

T. N. H. N. R. N. 2<sup>d</sup> W. 2<sup>nd</sup> Mer. Ind.

- Purchase when imaginary line intersects the same  
 from which a Buckeye 18 in. dia. bears N 53 E. 12 lks  
 dist; and a White Thorn 4, " " N 29 W. 16 "
- 22.54 Length of imaginary line.
- 30.06 To a Sugar 14 in. dia. stands in the line.
- 40.00 Set a post for the cor. to the 1/4 Sec. from which a  
 Hackberry 16 in. dia. bears S 66 E. 22 links dist; to  
 Do 20 " " " N 66 W. 58 " "
- 70.09 Set a post on the Left Bank of White River for the  
 cor. to the frac. Sec. 32. 133. from which a  
 Cottonwood 16 in. dia. bears S 60 E. 25 lks dist; to  
 Do 6 " " " S 41 W. 44 " "
- 75.30 Set a post on the Rt. Bank of White River for the  
 cor. to fractional Sec. 32. 133. from which a  
 Mulberry 20 in. dia. bears N 42 W. 14 links dist; to  
 Walnut 14 " " " N 19 E. 17 " "
- Nov. 20 1819
- 80.00 Set a post for the cor. of Sec. 28. 29. 32. & 33. from which  
 a W. Thorn 6 in. dia. bears S 33 E. 14 lks dist; to  
 Hackberry 4, " " " N 38 W. 22 " "
- Land here and 1<sup>st</sup> rate; Timber Walnut, Hack-  
 berry Buckeye & Sycamore. and 2<sup>d</sup> Pine, Elder &c.

- 
- West On a Random line between Sec. 29 & 32 T. N. H. N. R. 2<sup>nd</sup>
- 24.10 To the Rt. Bank of White River
- 29.05 " " Left " " " "
- 34.00 " " " " " " " again
- 40.00 Set a temporary post for the cor. to 1/4 Sec. on River bank
- 40.62 To the Rt. Bank of White River.
- 43.48 To a Brook 40 links wide; Course S. Y. E.
- 82.58 Intersected the N. S. line 39 links South of the first  
 set for the cor. of sec. 29. 30. 31. & 32. Land part level  
 and part Broken 2<sup>nd</sup> rate; Timber Walnut,

T. N. 11. N. R. N. 2. W. 2<sup>nd</sup> Mer. (Ind.)

Wackberry, Buckeye, Sycamore, Box Elder, Sugar  
Hickory and Beech and 4<sup>th</sup> Quarter Box Elder to

East	On a true line between Sec. 29. 132. T. 10 N. R. 2 W.
23.74	To a Sugar 16 in. dia. stands in the line.
41.29	Set the temporary post at the av. dist. on the true line for the cor. to the 1/4 sec. from which are Elm 8 in. dia. bears N 21 E. 30 miles dist; and a Box Elder 14 " " " S 63 W. 22 " "
42.96	Set a post on the Rt Bank of W. River for the cor. to frac. sections 29. 132 from which are Elm 18 in. dia. bears N 22 E. 52 miles dist; and are Do 16 " " " S 47 W. 64 " "
48.58	Set a post on the Left Bank of W. River on the true line for the cor. to the frac. Sec. 29. 132. from which a Cottonwood 4 in. dia. bears N 58 E. 10 miles dist; and Do 6 " " " S 52 E. 12 " "
53.53	Set a post on the Left Bank of White River for the cor. to the frac. Sec. 29. 132 from which a Walnut 6 in. dia. bears N 16 W. 9 miles dist; and a Ash 4 " " " S 44 E. 19 " "
58.43	Set a post on the Rt Bank of White River for the cor. to frac. sections 29. 132 from which a Walnut 20 in. dia. bears S 83 E. 41 miles dist; and a Do 20 " " " N 61 W. 42 " "
82.58	To the post set for the cor. to Sec. 28. 29. 32. 133.

North	Between Sec. 28. 129 T. N. 11. N. R. N. 2 W.
20.29	To a Hickory 16 in. dia. stands in the line.
40.00	Set a post for the cor. to the 1/4 sec. from which a Beech 14 in. dia. bears N 13 E. 18 miles dist; and a Do 16 " " " S 15 W. 30 " "
66.50	To a Red Oak 20 in. dia. stands in the line.



T. N. H. N. R. N. 2 N. 2<sup>nd</sup> Mer. Ind.

72.06	To a Brook 15 miles wide; Course N. E. N.
80.00	Set a post for the cor. of Sec. 20. 21. 28. & 29 from which a Hickory 12 in. dia. bears S 26 N. 11 miles dist; & an Ash 18 " " " N 34 E. 14 " "
	Land level of 2 <sup>nd</sup> rate; Timber N. R. Oak Buck, Sugar ash &c. and 1 <sup>st</sup> Spruce Maple &c
West	On a Random line between Sec. 20. & 29 T. N. H. N. R. N. 2 N.
40.00	Set a temporary post for the cor. to the 1 <sup>st</sup> Sec.
51.54	To a Brook 6 miles wide; Course S. E. N.
82.65	Intersected the N. E. line 10 miles N. of the post set for the cor. of Sec. 19. 20. 29. & 30. Land Broken 12 <sup>th</sup> rate. Timber Buck, N. Oak, Sugar, ash &c. No Spruce, ash &c
East	On a true line between Sec. 20. & 29 T. N. H. N. R. N. 2 N.
21.01	To a Buck 14 in. dia. Stands in the line.
41.30	Set the temporary post at the average distance on the true line for the cor. to the 1 <sup>st</sup> Sec. from which a Buck 18 in. dia. bears S 34 E. 15 miles dist;
64.65	To a Buck 20 in. dia. Stands in the line
82.65	To the post set for the cor. of Sec. 20. 21. 28. & 29.
North	Between Sec. 20. & 21. T. N. H. N. R. N. 2 N.
23.65	To an Elm 20 in. dia. Stands in the line.
29.50	" a Brook 5 miles wide; Course E. S. E.
40.00	Set a post for the cor. of 1 <sup>st</sup> Sec. from which a Sugar 20 in. dia. bears N 59 N. 5 miles dist; and a Do 14 " " " S 76 E. 10 " "
60.14	To a Sugar 24 in. dia. Stands in the line.
80.50	Set a post for the cor. to Sec. 16. 17. 20. & 21. from which a Sugar 16 in. dia. bears S 72 N. 14 miles dist; and a Do 20 " " " N 68 E. 16. "
	Land Broken 12 <sup>th</sup> rate; Timber Buck, Sugar, ash

Walnut &c underg<sup>th</sup> Spin &c

West	On a Random line between Sect. 17 & 20. T. N <sup>o</sup> 11. N.R. N <sup>o</sup> 27.
40.00	Set a temporary post for the cor. to $\frac{1}{4}$ Sec.
47.27	To a Buck 18 10 miles wide; Course S.
60.47	" " " " " " " S. 9 E.
82.50	Intersected the N.R. line 14 miles North of the post Set for the cor. of Sect. 17. 18. 19. & 20. Land broken and 2 <sup>nd</sup> rate; Timber Sugar, Wal- nut, Ash &c. Underg <sup>th</sup> Spin. &c.

East	On a line between Sect. 17. & 20. T. N <sup>o</sup> 11. N.R. 27.
19.80	To a Buck 24 in. dia. stands in the line.
41.25	Set the temporary post at the corner. dist in the true line for the cor. to the $\frac{1}{4}$ Sec. from which a Buck 22 in. dia. bears S 48 E. 29 miles dist; & a do 20 " " " N 28 E. 12 " "
54.17	To a Sugar 14 in. dia. stands in the line
82.50	To the post set for the cor. of Sect. 16. 17. 20 & 21.

North	Between Sect. 16. & 17. T. N <sup>o</sup> 11. N.R. N <sup>o</sup> 27.
19.48	To a Sugar 20 in. dia. stands on the line.
40.00	Set a post for the cor. of the $\frac{1}{4}$ Sec. from which a Buck 22 in. dia. bears N 31 W. 28 miles dist; & a do 30 " " " S 67 E. 16 " "
61.85	To a Walnut 14 in. dia. stands in the line
71.00	" " Buck 15 mts wide, Course S. 1 E.
80.00	Set a post for the cor. of Sect. 8. 9. 16. & 17. from which a elm 40 in. dia. bears N 32 W. 14 miles dist; & a Buck 13 " " " S 64 E. 19 " " Land part full and part broken; Timber Su- gar, Buck, Ash, Elm Walnut. &c Underg <sup>th</sup> Spin &c. Nov. 21 <sup>st</sup> 18. 19.

T. N. 11. N. R. N. 27. 2<sup>nd</sup> Mer. And.

West	On a Random line between Sep. 8 & 17. T. N. 11. N. R. N. 27.
3.64	To a Brook 15 miles wide; Course S. & E.
30.68	" " " 8 " " " S. E.
40.00	Set a temporary post for the cor. to $\frac{1}{4}$ Sec.
76.00	To a Brook 10 miles wide; Course S. E.
82.46	Intersected the N. S. line 19 miles S. of the post set for the cor. of Sep. 7, 8, 17, & 18. Lands broken & 2 <sup>nd</sup> rate; Timber Sugar, Ash, Poplar, Buck & 10 <sup>th</sup> Spruce
East	On a true line between Sep. 8, & 17. T. N. 11. N. R. N. 27.
22.54	To a Sugar 21 in. dia. Stands in the line
41.23	Set the temporary post at the above distance on the true line for the cor. to the $\frac{1}{4}$ Sec. from which a Poplar 15 in. dia. bears S 76 N. 11 miles dist; to an Elm 5 " " " N 89 E. 10 " "
60.56	To a Spanish Oak 20 in. dia. Stands in the line
82.46	To the post set for the cor. of Sep. 8, 9, 16, & 17.
North	Between Sep. 8 & 9. T. N. 11. N. R. N. 27.
24.31	To a Buck 21 in. dia. Stands in the line
40.00	Set a post for the cor. to the $\frac{1}{4}$ Sec. from which a Sugar 17 in. dia. bears S 83 N. 15 miles dist; to Hs 13 " " " N 45 E 18 " "
59.12	To a Sp. Oak 23 in. dia. Stands in the line.
80.00	Set a post for the cor. of Sep. 4, 5, 8 & 9. from which a Sugar 4 in. dia. Stands S 61 N. 4 miles dist; to Ash 28, " " " S 84 E. 9 " " Sand Broken 2 <sup>nd</sup> rate; Timber Buck, Sugar Ash & Undergrowth Spruce Ironwoods, Dogwood &c.
West	On a Random line between Sep. 5 & 8. T. N. 11. N. R. N. 27.
22.00	To a Brook 12 miles wide; Course S. E.
40.00	Set a temporary post for the cor. to $\frac{1}{4}$ Sec.

T. N. 11 N. R. N. 2 W. 2<sup>nd</sup> Mer. Sud.

82.56	Entered the N & S line 8 miles E. of the post set for the cor. of sec. 5. 6. 7 & 8. Land broken & 2 <sup>nd</sup> rate; Timber Sugar Beech, Elm, Walnut, &c U. G. Spruce, Ash, & Paw-paw. &c.
East	On a true line between Sec. 5 & 8. T. N. 11. N. R. N. 2 W.
19.06	To a Beech 28 in. diam. Stands in the line.
41.28	Set the temporary post at the average distance on the true line for the cor. to the $\frac{1}{4}$ sec. from which a Beech 32 in. diam. bears S 43 E. 13 miles distant. See Hickory 15 " " " N 27 W. 11. " "
59.94	To a Beech 18 in. diam. Stands in the line
82.56	To the post set for the cor. of sec. 4. 5. 8 & 9
North	Between Sec. 4 & 5 T. N. 11. N. R. N. 2 W.
27.92	To a Beech. 22 in. diam. Stands in the line
28.90	Enter a Windfall
40.00	Set a post for the cor. of the $\frac{1}{4}$ sec. from which a Hickory 2 $\frac{1}{2}$ in. diam. bears N. 74 W. 17 miles distant; also 2 $\frac{1}{2}$ " " " S 22 E. 7 " "
52.00	Left the Windfall
62.27	To a Beech 17 in. diam. Stands in the line.
71.13	Entered the N. Boundary 9.75 ch. East of the post set for the cor. of sec. 32 & 33. T. N. 12. N. R. N. 2 W. and set a post for the cor. of sec. 4 & 5. from which a Beech 14 in. diam. bears S 23 W. 46 miles distant and a Beech 3 " " " S 33 E. 28 " " Land broken and 2 <sup>nd</sup> rate; Timber Beech, ash, Sugar, Hickory &c and Spruce, ash, Hickory &c Nov. 22 <sup>nd</sup> 1819.
North	Between Sec. 33 & 34 T. N. 11. N. R. N. 2 W.
53.06	To a Brook 6 miles wide; Course N. W.



*T. N. 11. N. R. N. 2 W. 2nd Mer. Ind. a*

- 20.87 Is an Ash 14 in. dia. stands in the line.
- 29.70 Set a post on the left Bank of White River for the cor. to frac. sec. 33. & 34. from which a  
 Poplar 12 in. dia. stands S 61 N. 3 miles dist; & a  
 Red Bud 4 " " " S 29 E. 9 " "
- 35.03 Set a post on the Rt Bank of White River for the cor. to frac. sec. 33. & 34. from which a  
 Sycamore 16 in. dia. bears N 61 W. 11 miles dist; and a  
 Mulberry 6 " " " N 35 E. 21 " "
- 40.00 Set a post for the cor. of  $\frac{1}{4}$  sec. from which a  
 Hackberry 26 in. dia. bears N 43 W. 10 miles dist; & a  
 Sugar 14 " " " S 19 E. 8 " "
- 58.12 Two Locust 24 in. dia. stands in the line.
- 80.00 Set a post for the cor. of sec. 27, 28, 33. & 34. from which a  
 Hackberry 16 in. dia. bears N 17 E. 27 miles dist; and a  
 Hickory 12 " " " S 21 W. 25 " "  
 Lands 1<sup>st</sup>  $\frac{1}{2}$  mile from 3<sup>rd</sup> rate; Last  $\frac{1}{2}$  mile  
 1<sup>st</sup> rate land. Timber N. Oak, Beech, Hickory & c.  
 Walnut Hackberry Sugar. Buckeye. Hickory & c.  
 under 1<sup>st</sup>. Spice, Hickory and Pawpaw & c.

- West On a Random line between Sec. 28. & 33.
- 40.00 Set a temporary post. for the cor. of  $\frac{1}{4}$  sec.
- 71.93 Intersected the N & S line 10 miles N. of the post set  
 for the cor. of sec. 28, 29, 32 & 33.  
 Lands level and 1<sup>st</sup> rate; Timber Walnut Hack-  
 berry and Locust, Ash, Sugar Sycamore & c.  
 N. Spice and Pawpaw.

- East On a true line between Sec. 28. & 33. S. N. 11. N. R. 2 W.
- 10.41 Is a Hickory 22 in. dia. stands in the line
- 35.96 Set the temporary post at the average distance on  
 the true line for the cor. of  $\frac{1}{4}$  sec. from which a

417

T. N. 11. N. R. N. 27. 2<sup>nd</sup> (Mer. (Ind.))

	<p>Hornbeam 6 in. dia. Stands S42E. 10 miles dist; to Hickory 15 " " " N63E. 12 " "</p> <p>51.93 To a Shell bark Hickory 22 in. dia? Stands on the line</p> <p>71.93 To the post set for the cor. of Sec. 27. 28. 33. 34.</p>
North	<p>Between Sec. 27. 28. T. N. 11. N. R. N. 27.</p> <p>20.97 To a Beech 16 in. dia Stands on the line.</p> <p>40.00 Set a post for the cor. to 1/4 Sec. from which a Hornbeam 4 in. dia? Stands N65W. 13 miles dist; to Beech 18 " " " N42E. 18 " "</p> <p>68.18 To a Hackberry 24 in. dia Stands on the line.</p> <p>80.00 Set a post for the cor. of Sec. 21. 22. 27. 28. from which Hickory 16 in. dia? Stands N10W. 10 miles dist; to Maple 18 " " " S4E. 12 " "</p> <p>Land part 1<sup>st</sup> rate and part 2<sup>nd</sup> rate; Timber Beech, Sugar Oak, Walnut, Maple, Hackberry &amp;c. W. Spruce, Pawpaw. Ash, Birch &amp;c.</p>
West	<p>On a Random line between Sec. 21. 28. T. N. 11. N. R. N. 27.</p> <p>40.00 Set a temporary post for the cor. of the 1/4 Sec.</p> <p>69.70 To a Brook 12 miles wide, Corner S. E. W.</p> <p>72.00 Intersected the N. S. line 16 miles N. of the post set for the cor. of Sec. 20. 21. 28. &amp; 29. Land part level and part broken 2<sup>nd</sup> rate and part 3<sup>rd</sup> rate. Timber W. Oak, Ash, Beech, Walnut, Hickory &amp;c. W. Spruce, Ash, Pawpaw. Maple Birch &amp;c.</p>
East	<p>On a true line between Sec. 21. 28. T. N. 11. N. R. 27.</p> <p>25.50 To a Beech 16 in. dia Stands on the line.</p> <p>36.00 Set the temporary post at the aver. dist on the true line for the cor. to the 1/4 Sec. from which a Sugar 4 in. dia Stands S25E. 5 miles dist; to Beech 17 " " " N13E. 21. " "</p>

T. N<sup>o</sup> 11. N. R. N<sup>o</sup> 2 W. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>

55.45 To a Hickory 15 in dia stands in the line  
 72.00 To the post set for the cor. of sec. 21. 22, 27 & 28.

Back Between Sec. 21. 22 T. N<sup>o</sup> 11. N. R. N<sup>o</sup> 2 W.  
 30.60 To a Walnut 14 in. dia. stands in the line  
 40.00 Set a post for the cor. to the  $\frac{1}{4}$  sec. from which a  
 Beech 18 in. dia. bears N 49 W. 11 miles dist; & a  
 W. Oak 16 " " " S 35 E. 26 " "  
 63.65 To a Brook 6 miles wide; Course S. W.  
 64.80 To a Hickory 16 in. dia. stands in the line  
 80.00 Set a post for the cor. of sec. 15. 16. 21. 22, from which a  
 Hickory 10 in. dia bears N 23 W.  $\frac{1}{4}$  miles dist; & a  
 Beech 14 " " " S 8 E. 18 " "  
 Lands  $\frac{1}{2}$  mile  $\frac{1}{2}$  rate; 2<sup>nd</sup>  $\frac{1}{2}$  mile Broken  
 3<sup>rd</sup> rate; Timber Walnut, Hackberry, Sugar  
 Beech, W. Oak, Hickory &c. W. J. Pine, Hazel,  
 Dogwoods & Brins

West On a Random line between Sec. 16 & 21. T. N<sup>o</sup> 11. N. R. N<sup>o</sup> 2 W.  
 40.00 Set a temporary post for the cor. of  $\frac{1}{4}$  sec.  
 62.15 To a Brook 10 miles wide; Course S. W.  
 72.20 Intervened the N. & S. line 15 miles N. of the post set for the  
 cor. of sec. 16. 17. 20. 21. Lands broken 2<sup>nd</sup> / 3<sup>rd</sup> rate land  
 Timber, Beech, W. Oak, Hickory Walnut, &c. W. J. Pine  
 Hazel, Sassafras, Dogwood, Ironwood &c. N<sup>o</sup> 23, 18 & 19

East On a true line between Sec. 16 & 21. T. N<sup>o</sup> 11. N. R. N<sup>o</sup> 2 W.  
 17.80 To a Walnut 12 in. dia stands in the line  
 36.10 Set the temporary post at the app. distance on the true line  
 for the cor. to  $\frac{1}{4}$  sec. from which a  
 Beech 18 in. dia bears S 81 W. 14 miles dist; & a  
 Do 14 " " " N 33 W. 83 " "  
 49.56 To a Beech 20 in. dia stands in the line.

## T. N. H. N. R. N. 2 M. 2nd Mrs. Ind. a

72.20	To the post set for the cor. of Sec. 16. 17. 20. & 21
North 19.70 40.00 61.68 80.00	Between Sec. 15 & 16 T. N. H. N. R. N. 2 M. To a Sp. Oak 29 in. dia. stands in the line. Set a post for the cor. of $\frac{1}{4}$ Sec. from which a Logwood 3 in. dia. bears S 80 W. 7 miles dist; & a Beech 3 " " " N 59 E. 8 " " To a Hickory 26 in. dia. stands in the line Set a post for the cor. to Sec. 9. 10. 15. & 16. from which a Beech 4 in. dia. bears S 47 E. 19 miles dist; and a Sugar 5 " " " N 17 W. 14 " " Land broken 2 <sup>nd</sup> & 3 <sup>rd</sup> rate; Timber N. Oak, Beech Sugar. Poplar, &c. N. J. Spruce, Ironwood, Logwood & Birch &c.
West 40.00 61.50 72.65	On a Random line between Sec. 9 & 16. T. N. H. N. R. N. 2 M. Set a temporary post for the cor. to the $\frac{1}{4}$ Sec. To a Brook 6 miles wide; Course S. E. W. Intersected the N. & S. line 19 miles N. of the post set for the cor. of Sec. 8. 9. 15 & 17. Land broken 2 <sup>nd</sup> & 3 <sup>rd</sup> rate; Timber N. Oak, Beech, Poplar & Sugar, Hickory &c N. J. Spruce Ironwood Chalcopras &c.
East 12.09 36.32 45.00 72.65	On a true line between Sec. 9. & 16. T. N. H. N. R. N. 2 M. To a Sugar 18 in. dia. stands in the line. Set the temporary post at the avor. dist. on the true line for the cor. to the $\frac{1}{4}$ Sec. from which a Sugar 18 in. dia. bears S 23 W. 23 miles dist; and a Beech 13 " " " N 61 E. 17 " " To a Sugar 23 in. dia. stands in the line. To the post set for the cor. to Sec. 9. 10. 15 & 16.
North	Between Sec. 9. & 16. T. N. H. N. R. N. 2 M.



T. N. 11. N. R. N. 2 W. 2<sup>nd</sup> Mer. S. 11<sup>th</sup>

- 22.15 To a Beech 18 in. dia. stands in the line  
 40.00 Set a post for the cor. to the  $\frac{1}{4}$  sec. from which a  
 Hickory 15 in. dia. bears N. 54 $^{\circ}$  W. 21 links dist; to  
 Beech 6 " " " S 69 $^{\circ}$  E. 13 " "  
 66.08 To a Sugar 20 in. dia. stands in the line  
 80.00 Set a post for the cor. of sec. 3, 4, 9, & 10 from which a  
 Sugar 15 in. dia. bears N. 22 $^{\circ}$  E. 25 links dist; to a  
 No. 20 " " " S 27 $^{\circ}$  W. 28 " "  
 Land Broken 2<sup>nd</sup> & 3<sup>rd</sup> rate; Timber Beech, W. Oak,  
 Sp. Oak, Hickory, Sugar &c., W. Spruce, Ironwood, Dog  
 woods, Sassafras, Brins &c.

- West On a Random line between Sec. 4 & 9. T. N. 11. N. R. N. 2 W.  
 40.00 Set a temporary post for the cor. to the  $\frac{1}{4}$  sec.  
 72.46 Intersected the N. & S. line at the post set for the cor.  
 of sec. 4, 5, 8 & 9. Land part level 2<sup>nd</sup> rate; 1 part  
 Broken 3<sup>rd</sup> rate; Timber Beech, Sugar, Poplar,  
 Ash, &c. Undergrowth Spruce Ash &c.

- East On a true line between Sec. 4 & 9. T. N. 11. N. R. N. 2 W.  
 20.09 To a Beech 21 in. dia. stands in the line  
 36.23 Set the temporary post at the average distance on the  
 true line for the cor. to the  $\frac{1}{4}$  sec. from which a  
 Beech 18 in. dia. bears N. 67 $^{\circ}$  E. 27 links dist; to a  
 No. 21, " " " S 59 $^{\circ}$  W. 29 " "  
 48.90 To a Beech 16 in. dia. stands in the line.  
 72.46 To the post set for the cor. of sec. 3, 4, 9, & 10.

- North Between Sec. 3 & 4. T. N. 11. N. R. N. 2 W.  
 2.10 To a Brook 10 links wide; Course S. S. E.  
 14.78 To a W. Oak 17 in. dia. stands in the line.  
 40.00 Set a post for the cor. of  $\frac{1}{4}$  sec. from which a  
 Beech 15 in. dia. bears N. 71 $^{\circ}$  E. 13 links dist; and a

421

T. No 11. N.R. No 2 W. 2nd Mer. Ind.

46.25 Buck 14 in. dia bears N 71 W. 13 links dist; 1  
To a Brook 10 links dist; Course S. S. W.  
59.93 To a Buck 23 in. dia. Stands in the line  
71.21 Intersected the N. Boundary 3.93 ch. East of the first  
set for the cor. of sec. 33 & 34. T. No 12. N.R. No 2 W. &  
set a post for the cor. of sec. 34. From which a  
Buck 22 in. dia bears S 43 E. 5 links dist; and a  
Ash 28 " " " S 45 W. 42 " "  
Land part level and part broken 3<sup>rd</sup> rate. Timber  
W. B. Oak, Buck, Sugar, &c. W. Logwood  
Ironwood Spice. Brins. Nov. 24. 1819.

North Between Sec. 34 & 35. T. No 11. N.R. No 2 W.  
20.27 To a Hickory 21 in. dia. bears in the line  
40.00 Set a post for the cor. to the 1/4 sec. from which a  
Poplar 14 in. dia. bears N 65 E. 12 links dist; and a  
Logwood 2 " " " S 61 W. 24 " "  
59.06 To an Ash 24 in. dia. Stands in the line.  
72.90 Set a post on the Left Bank of White River for the  
cor. to frac. Section 34 & 35 from which a  
Maple 20 in. dia. bears S 47 E. 5 links dist; and a  
H. 12 " " " S 25 W. 9 " "  
76.80 Set a post on the R. Bank of White River for the cor. to  
frac. Sec. 34 & 35. From which a  
B. Ash 10 in. dia. bears N 22 E. 20 links dist; & a  
W. Plum 8 " " " S 46 W. 14 " "  
80.00 Set a post for the cor. of sec. 26, 27, 34 & 35 from which  
Sugar. 20 in. dia. bears N 29 E. 25 links dist; & a  
W. Walnut 24 " " " S 24 E. 16 " "  
Land part level and part broken 2<sup>nd</sup> & 3<sup>rd</sup> rate.  
land. Timber Sugar Buck Poplar, Ash, Walnut, Ash,  
W. Oak, &c. Undergrowth Spice Ash &c

T. N. 11. N. R. N. 27. 2<sup>nd</sup> Mer. (Ind.)

West On a Random line between Sep. 27. 134. T. N. 11. N. R. N. 27.  
 40.00 Set a temporary post for the cor. to  $\frac{1}{4}$  Sec.  
 79.60 Intersected the N. & S. line 15 miles North of the post  
 set for the cor. of Sep. 27, 28, 33, 134  
 Sand hick and first rate; Timber Walnut Hackberry  
 Locust Sugar Buckeye &c. W. J. Spruce. Pawpaw.

East On a true line between Sep. 27. 134. T. N. 11. N. R. N. 27.  
 26.05 To a Hackberry 14 in. dia. It stands in the line.  
 39.80 Set a temporary post at the aver. dist on the true line  
 for the cor. to the  $\frac{1}{4}$  Sec. from which a  
 Buckeye 13 in. dia. bears S 28 N. 4 miles dist; & a  
 Hackberry 14 " " " N 1 E. 15 " "  
 57.75 To a Hackberry 22 in. dia. It stands in the line.  
 79.60 To the post set for the cor. to Sep. 26, 27, 34, 134

North Between Sep. 26 & 27 T. N. 11. N. R. N. 27.  
 19.35 To a Hickory 14 in. dia. It stands in the line  
 40.00 Set a post for the cor. to  $\frac{1}{4}$  Sec. from which a  
 Hickory 4 in. dia. bears N 52 E. 20 miles dist; and a  
 Hackberry 21 " " " N 30 N. 26 " "  
 64.08 To a Buck 27 in. dia. It stands in the line  
 80.00 Set a post for the cor. to Sep. 22, 23, 26, 27 from which  
 Sugar 22 in. dia. bears S 85 N. 5 miles dist; and a  
 Ash 32 " " " S 76 E. 16 " "  
 Sand hick and first rate; Timber Walnut Locust.  
 Hackberry, Sugar, Buckeye &c. W. J. Spruce, Ash &c.

West Between Sep. 22 & 27. T. N. 11. N. R. N. 27.  
 40.00 Set a temporary post for the cor. to  $\frac{1}{4}$  Sec.  
 79.64 Intersected the N. & S. line at the post set for the cor. of  
 Sep. 21, 22, 28, 134. Sand hick and first rate; Timber  
 30 White Walnut Sugar Buck, Ash, Cherry, Locust.

423

T. N. 11. N. R. N. 27. 2nd Mer. (Ind. a)

to. M. J. Spive, ash. &c.

East On a true line between Sec. 22, & 27. T. N. 11. N. R. N. 27.  
 21.50 To a Cherry 24 in. diam. Stands in the line.  
 39.82 Set the temporary post at the above dist. on the true line for  
 the cor. to the 1/4 Sec. from which a  
 Walnut 3 in. dia. bears N 49 N. 21. miles dist; and a  
 Sugar 25 " " " S 47 E. 29 " "  
 57.54 To a Sugar 6 in. dia. Stands in the line  
 79.64 To the post set for the cor. of sec. 22, 23, 26 & 27.

North Between Sec. 22, & 23 T. N. 11. N. R. N. 27.  
 20.43 To a Sugar 17 in. diam. Stands in the line.  
 21.20 Out the Bend of a Stream 14 miles wide; from N.E. to S.E.  
 25.56 To the same Stream - " " Course S.E.  
 40.00 Set a post for the cor. to the 1/4 Sec. from which a  
 Hackberry 17 in. dia. bears N 20 E. 11 miles dist; to a  
 Do 14 " " " S 62 N. 28 " "  
 45.00 To the same Stream - miles wide; Course S.W.  
 48.44 " " " " " " " S.E.  
 65.00 " " " " " " " S.W.  
 66.44 " " " " " " " S.E.  
 70.40 " " " " " " " S.W.  
 76.60 " " " " " " " S.E.  
 80.00 Set a post for the cor. to Sec. 14, 15, 22, & 23 from which  
 a Walnut 6 in. dia. bears N. 21 E. 29 miles dist; to a  
 Butternut 7 " " " N 86 N. 19 " "  
 Lands level first rate; Timber Walnut Hackberry  
 Buckeye, Sugar &c. M. J. Spive Pawpaw &c.  
 Nov. 25. 1819.

West On a Random line between Sec. 15 & 22 T. N. 11. N. R. N. 27.  
 40 To a Stream 12 miles wide; Course. —



T. N. 11. N. R. No 27. 2<sup>nd</sup> Mer. Ind.

40.00 Set a temporary post for the cor. to  $\frac{1}{4}$  sec.  
 79.76 Intersected the E. & S. line 27 miles South of the first set  
 for the cor. of Secs. 15, 16, 21, & 22.  
 Land Broken 2<sup>nd</sup> & 3<sup>rd</sup> rate; Timber W. B. Oak, Hick-  
 ory, Beech &c. W. Dogwoods Ironwood, Sassafras, Hickory,  
 Prins &c.

East On a true line between Secs. 15, & 22 T. N. 11. N. R. No 27.  
 17.72 To a Hickory 20 in. dia. stands in the line  
 39.88 Set the temporary post at the above distance on the true line  
 for the cor. to the  $\frac{1}{4}$  sec. from which are  
 Ironwoods 4 in. dia. bears S 2 E. 24 miles dist; & a  
 W. Oak 14 " " " N 63 W. 46 " "  
 59.74 To a Hickory 18 in. dia. stands in the line.  
 79.76 To the post set for the cor. to Secs. 14, 15, 22, & 23.

North Between Secs. 14 & 15 T. N. 11. N. R. No 27.  
 0.45 To a Brook 15 in. dia. bears S. S. W.  
 2.50 To the same stream 15 miles wide; bears S. S. E.  
 20.29 To a Sassafras 12 in. dia. stands in the line  
 40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
 Hickory 4 in. dia. bears S 60 W. 13 miles dist; & a  
 Beech 8 " " " S 65 E. 14 " "  
 64.42 To a Beech 19 in. dia. bears in the line.  
 80.00 Set a post for the cor. of Secs. 10, 11, 14, & 15 from which a  
 Sugar 7 in. dia. bears S 75 W. 15 miles dist and a  
 Beech 18 " " " N 70 E. 27 " "  
 Lands on the 1<sup>st</sup> 1/2 mile broken and 3<sup>rd</sup> rate; 2<sup>nd</sup> 1/2 mile  
 level and 2<sup>nd</sup> rate; Timber W. Oak, B. Oak, Beech,  
 Sugar, Poplar Hickory, &c. undergrowth Spice, Dog-  
 wood, Ironwoods, Prins &c.

West On a Random line between Secs. 10 & 13 T. N. 11. N. R. No 27.

T. N<sup>o</sup> 11. N. R. N<sup>o</sup> 27. 2<sup>nd</sup> Mer. (Ind. 2)

40.00	Set a temporary post for the cor. to $\frac{1}{4}$ sec.
46.70	To a Brook 12 miles wide; Course S. S. E.
80.28	Intersected the N. P. line 15 miles N. of the post set for the cor. of sec. 9. 10. 15 & 16. Land bottom made 3 <sup>rd</sup> rate Timber W. B. Oak Hickory & W. J. Logg. Spruce & Birch
East	On a true line between Sec. 10 & 15. T. N <sup>o</sup> 11. N. R. N <sup>o</sup> 27.
22.61	To a Buck 12 in. dia. It stands in the line
40.14	Set the temporary post at the av. dist on the true line for the cor. to the $\frac{1}{4}$ sec. from which a Buck 13 in. dia. bears N 67 N. 24 miles dist; and a Sugar 17 " " " N 11 E. 29 " "
57.60	To a Sugar 16 in. dia. stands in the line.
80.28	To the post set for the cor. of sec. 10. 11. 14 & 15
North	Between Sec. 10 & 11. T. N <sup>o</sup> 11. N. R. N <sup>o</sup> 27.
7.58	To a Brook 12 miles wide; Course S. E.
26.10	To a W. Oak 20 in. dia. stands in the line.
40.00	Set a post for the cor. to the $\frac{1}{4}$ sec. from which a Sassafras 8 in. dia. bears N 76 N. 9 miles dist; & a Ironwood 6 " " " S 37 E. 10 " "
55.28	To a Buck 19 in. dia. stands in the line
80.00	Set a post for the cor. of sec. 2. 3. 10 & 11. from which a Buck 26 in. dia. bears N 81 E. 17 miles dist; and a Do 7 " " " S 63 N. 25 " "
	Land part level and part broken 2 <sup>nd</sup> & 3 <sup>rd</sup> rate Timber Buck. W. B. Oak, Poplar, Hickory & Sugar W. J. Spruce Sassafras & Birch &c
West	On a Random line between Sec. 3 & 10. T. N <sup>o</sup> 11. N. R. N <sup>o</sup> 27.
35.05	To a Brook 10 miles wide; Course S. S. E.
40.00	Set a temp. post for the cor. to the $\frac{1}{4}$ sec.
76.82	To a Brook 10 miles wide; Course S. S. E.

T. N<sup>o</sup> 11. N.R. N<sup>o</sup> 27. 2<sup>nd</sup> Mer. (Indiana)

80.47 Intersected the N & S line 8 links S. of the post set for the cor. of sec. 3, 4, 9 & 10. Lande part level and part broken 2<sup>nd</sup> & 3<sup>rd</sup> rate; Timber Beech Sugar Poplar W Oak &c Undergrowth Spice, Ironwoods, Dog w<sup>o</sup> Hops & Brins &c.

East On a true line between Sec. 3 & 10. T. N<sup>o</sup> 11. N.R. N<sup>o</sup> 27.

20.57 To a Beech 21 in. dia. Stands in the line.

40.23 Set the temporary post at the avor. distance on the true line for the cor. of the  $\frac{1}{4}$  sec. from which a Ironwoods 6 in dia bears N 34 W. 16 links dist; and a Beech 15 " " S 65 E. 19 " "

56.32 To a Sugar 21 in. dia Stands in the line.

80.47 To the post set for the cor. of sec. 2, 3, 10 & 11.

North Between Sec. 2 & 3. T. N<sup>o</sup> 11. N.R. N<sup>o</sup> 27.

24.64 To a Poplar 44 in. dia Stands in the line.

40.00 Set a post for the cor. to the  $\frac{1}{4}$  sec. from which a Beech 18 in. dia. bears N 64 W. 14 links dist; and a Sugar 20 " " " N 78 E. 29 " "

64.35 To an Ash 22 in. dia Stands in the line

70.18 Intersected the N Boundary 3.18 ch. East of the post set for the cor. of sec. 34 & 35. T. N<sup>o</sup> 12. N.R. N<sup>o</sup> 27. and set a post for the cor. of sec. 2 & 3 from which a Beech 10 in. dia. bears S 83 W. 23 links dist; and a Do 19 " " " S 28 E. 19 " " Lande level and 2<sup>nd</sup> rate; Timber Beech, Sugar, Poplar Oak &c (W) Spind. Nov. 26<sup>th</sup> 1819.

North Between Sec. 35 & 36 T. N<sup>o</sup> 11. N.R. N<sup>o</sup> 27.

18.84 To a Beech 24 in dia. Stands in the line

24.00 " " Brook 16 links wide; comes N. W.

40.00 Set a post for the cor. of  $\frac{1}{4}$  sec. from which a

	Logwood 3 in. dia. bears N 35 W. 11. links dist.; and a Buck 4 " " " S 65 E. 11 " "
60.00	To a N. Oak 18 in. dia stands in the line.
63.08	To a Brook 8 links wide; course N. W.
80.00	Set a post for the cor. of 25, 26, 35 & 36. From which a Buck 16 in. dia. bears N 20 E. 25 links dist.; and a Log 5 " " " S 50 W. 5 " " Land broken and 30° gate; Timber N. Oak, Buck, Hickory, W. Dogwood, Hickory, Oak, Ironwood, Sassafras Prins &c.
West	On a Random line between Sec. 26 & 35 T. N. 11. N. R. N. 27.
14.48	To a Brook 8 links wide; course N. W.
40.00	Set a temporary post for the cor. to the 1/4 Sec.
61.00	To the Left Bank of White River
67.34	" " Rt. Bank " " "
79.84	Intersected the N. S. line 20 links South of the post set for the cor. of Sec. 26, 27, 34 & 35 Land Broken & 30° gate. Timber N. Oak, B. Oak, Hickory and Buck &c. W. Dogwood Oak & Ash Prins &c.
East	On the true line between Sec. 26 & 35 T. N. 11. N. R. N. 27.
12.50	Set a post on the Rt. Bank of White River for the cor. to frac. sections 26 & 35. From which a Sycamore 18 in. dia. bears N 46 E. 16 links dist.; and a Ash 10 " " " S 69 W. 10 " "
18.84	Set a post on the Left Bank of White River for the cor. to frac. Sec. 26 & 35 from which an Ash 18 in. dia bears S 43 E. 28 links distant & a Maple 10 " " " N 47 E. 30 " "
39.92	Set the temporary post at the above dist. on the true line for the cor. to the 1/4 Sec from which a Buck 6 in. dia. bears N 28 W. 11 links dist.; and a



T. N. 11 N. R. N. 27. 2<sup>nd</sup> Mer. Ind. a

- Log mode 5 in. dia. bears S 25 N. 21. miles dist; and  
 59.16 To a Sugar 12 in. dia. stands in the line  
 79.84 To the post set for the cor. of Sec. 25, 26, 25 & 36.

- East Between Sec. 25 & 36. T. N. 11. N. R. N. 27  
 23.58 To a Beech 13 in. dia. stands in the line.  
 40.00 Set a post for the cor. to 1/4 Sec. from which a  
 Beech 5 in. dia. bears N 44 N. 5 miles dist; and a  
 Ho 4 " " " S 24 E. 25 " "  
 49.50 To a Brook 6 miles wide; Course N. N.  
 66.06 To a Beech 22 in. dia. stands in the line.  
 79.80 Into sec the East Boundary 115 miles N. of the post  
 set for the cor. of sec. 25 & 36. Next the post set for the  
 cor. of Sec. 30. 31. T. N. 11. N. R. N. 17. and took the  
 same bearing true Land Broken 2<sup>nd</sup> & 3<sup>rd</sup> rate  
 Timber Ash, W. Oak, Beech and Hickory &c. W. J.  
 Spire, Ash, &c.

- North Between Sec. 25 & 26. T. N. 11. N. R. N. 27.  
 9.90 To a Spring branch; Course N. S. N.  
 24.84 To a Sugar 16 in. dia. stands in the line  
 40.00 Set a post for the cor. off from which a  
 Log mode 5 in. dia. bears S 80 N. 10 miles dist; and a  
 Hornbeam 5 " " " N 22 E. 19 " "  
 45.70 To a Pond 80 miles wide. E & N.  
 63.94 To a Buckeye 6 in. dia. stands in the line  
 80.00 Set a post for the cor. of Sec. 23, 24, 25 & 26. from which  
 B. Elm 6 in. dia. bears N 9 E. 12 miles distant &  
 Hackberry 5 " " " S 42 N. 23 " "  
 Land on the 1<sup>st</sup> 1/2 mile broken 3<sup>rd</sup> rate land; Last  
 1/2 mile level and 2<sup>nd</sup> rate; Timber W. Oak, Hickory  
 Beech, Ash, Walnut, Hackberry, Buckeye &c. W. J.  
 Log mode, Hickory, Prins Spire Paw Paw &c

West On a true line between Sec. 23 & 26. T. N. 11. R. N. 27.  
 5.35 To the left Bank of White River.  
 10.89 " " " " " "  
 40.00 Set a temporary post for the cor. to the  $\frac{1}{4}$  Sec.  
 79.88 Intersected the N. 13 line 64 links South of the post set  
 for the cor. of Sec. 22, 23, 26 & 27. Sande wood and R.  
 rare; Timber Walnut Hackberry Beech, Buckeye  
 Elm Sugar &c W. J. Spruce Saw paw. &c.

East On a true line between Sec. 23 & 26. T. N. 11. R. N. 27.  
 24.54 To a Beech 19 in. dia stands in the line  
 39.94 Set the temporary post at the average distance on the  
 true line for the cor. to the  $\frac{1}{4}$  Sec. from which a  
 Hackberry 16 in. dia bears S 61 W. 10 links dist. out, and a  
 Hornbeam 16 " " " N 19 W. 14 " "  
 55.68 To a Beech 16 in. dia. stands in the line.  
 68.00 Set a post on the left Bank of White River for the  
 cor. to the fract. Sec. 23 & 26. from which a  
 Hackberry 8 in. dia. bears S 54 W. 14 links dist; & a  
 Do. 5 " " " N 9 W. 7 " "  
 74.53 Set a post on the left Bank of White River for the cor.  
 to fract. sections 23 & 26. from which a  
 Maple 15 in. dia bears S 58 W. 3 links dist; and a  
 Do. 5 " " " N 27 E. 9 " "  
 79.88 To the post set for the cor. of Sec. 23, 24, 25 & 26.

East Between Sec. 24 & 25 T. N. 11. R. N. 27.  
 12.00 Set a post on the left Bank of White River for the cor.  
 to fractional sections 24 & 25 from which a  
 Red Bud 12 in. dia bears S 59 E 32 links dist; and a  
 Buckeye 14 " " " N 45 W. 50 " "  
 17.66 Set a post on the left Bank of White River for the cor.  
 to the fract. Sec. 24 & 25. from which a

## T. N. 11. N. R. N. 2 W. 2. Mer. Ind.;

- Maple 4 in. dia. bears N 29 E. 18 links dist; and a  
 Cottonwood 16 " " " S 57 N. 14 " "
- 40.00 Set a post for the cor. to the 1/4 sec. from which a  
 Walnut 15 in. dia. bears S 21 E. 16 links dist; & a  
 Sycamore 44 " " " N 69 N. 20 " "
- 49.14 Set a post on the Rt Bank of White River for the cor. to  
 the frac. sec. 24 & 25 from which a  
 Sycamore 18 in. dia. bears N 24 N. 7 links dist; & a  
 Maple 14 " " " S 8 N. 12 " "
- 53.74 Set a post on the Left Bank of White River for the cor.  
 to fractional sec. 24 & 25 from which a  
 Hackberry 18 in. dia. bears N 44 E. 28 links dist; & a  
 Locust 20 " " " S 8 E. 48 " "
- 70.54 Set a post on the left Bank of White River for the  
 cor. to frac. sections 24 & 25. from which a  
 Hackberry 35 in. dia. bears N 20 N. 26. links dist; & a  
 B. Elder 13 " " " S 27 N. 37 " "
- 75.20 Set a post on the Rt Bank of White River for the cor. to  
 frac. sec. 24 & 25. from which a  
 Maple 5 in. dia. S 61 E. 7 links dist; and a  
 Co. 7 " " N 53 N. 7 " "
- 77.74 Intersected the East Boundary 2.20 ch. N of the post  
 set for the cor. of sec. 24 & 25. T. N. 11. N. R. N. 2 W. and set  
 a post for the cor. of sec. 24 & 25. from which an  
 Elm 5 in. dia. bears S 70 N. 9 links dist; and a  
 Hackberry 6 " " " N 82 E. 21 " "
- Sands part 1<sup>st</sup> and part 2<sup>nd</sup> rate. Timber Walnut  
 Sycamore Hackberry Buckeye &c. W. Spruce  
 Pawpaw &c

North Return Sec. 23 & 24. T. N. 11. N. R. N. 2 W.  
 9.15 Set a post on the Left Bank of White River for the cor.  
 to frac. sections 23 & 24 from which a

431

T. N. 11. N. R. N. 27. 2nd Mer. (Ind. a.)

- Cotton wood 3 mi. dist. bears N 52 E. 12 miles dist; & a  
 Do 3, " " S 11 W. 13 " "  
 14.23 Set a post on the Rt. Bank of White River for the cor.  
 to the front Section 23 & 24. From which an  
 Elm 5 mi. dist. bears N 75 E. 24 miles distant; and a  
 Buck 24 " " " S 54 W. 18 " "  
 40.00 Set a post for the cor. to 1/4 Sec. from which a  
 Hackberry 14 mi. dist. bears S 55 W. 2 miles dist; & a  
 Do 4 " " " N 45 E. 7 " "  
 68.40 To a Sugar 14 mi. dist. stands in the line  
 80.00 Set a post for the cor. of Sec. 13, 14, 20 & 24. From which  
 an Elm 6 mi. dist. bears S 22 E. 5 miles dist; and a  
 Hackberry 4 " " " N 12 W. 14 " "  
 Sand, hick. and 1st rate; Timber Walnut Hackberry  
 Buckeye, Ash, &c. underg<sup>th</sup> Spruce, Pawpaw. &c.

- West On a random line between Sec. 14 & 23. T. N. 11. N. R. 27.  
 27.36 To a Brook 12 miles wide; Course S. E.  
 40.00 Set a temporary post for the cor. to 1/4 Sec.  
 77.16 To a Brook 15 miles wide; Course S. E.  
 78.00 " the same stream 15 " " " N. E.  
 80.00 Intersected the W. Boundary or. N & S line 29 miles S.  
 of the post set for the cor. of Sec. 14, 15, 22, & 23.  
 Sand, hick. 1st & 2nd rate; Timber Walnut, Hackberry,  
 Sugar, Buckeye, Buck and Oak. W. Spruce, Pawpaw. &c.

- East On the true line between Sec. 14 & 23. T. N. 11. N. R. N. 27.  
 19.73 To a Water Oak 12 mi. dist. stands in the line.  
 40.00 Set a post for the cor. to the 1/4 at the aver. dist; on the  
 true line from which a  
 Sugar 27 mi. dist. bears N 78 E. 13 miles distant & a  
 Buck 19 " " " S 17 W. 23 " "  
 56.00 To a Walnut 66 mi. dist. stands in the line



N<sup>o</sup> 11. N.R. N<sup>o</sup> 27. 2<sup>nd</sup> Mer. (Ind. a)

80.00 To the post for the cor. to sub. 13, 14, 23, & 24

East Petrona Sub. 13 & 24 I N<sup>o</sup> 11. N.R. N<sup>o</sup> 27.

25.95 To an Elm 19 in. dia. stands in the line.

33.64 To a Brook 5 miles wide; Course South.

40.01 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
 Creek 15 in. dia. bears S 46 E 14 miles dist; and a

66.50 To a 18 in. dia. begins in the line. At 9<sup>th</sup> N. 23 " "  
 77.78 Set a post for the East Boundary 3.65 ch. N. of the post  
 set for the cor. of sub. 13 & 24. and set a post for the  
 cor. of sub. 13 & 24 from which a

Maple 10 in. dia. bears N 41 W. 10 miles dist. and a

Heiky 23 " " " S 66 W. 8 " "

Land level and 1<sup>st</sup> rate; some 2<sup>nd</sup> rate; Timber Wal-  
 nut, Ash, Sugar, Elm, Beech, W. Oak 10. W. Spruce  
 Pawpaw, &c

North Petrona Sub. 13 & 14 I N<sup>o</sup> 11. N.R. N<sup>o</sup> 27.

22.53 To a Cherry 16 in. dia. stands in the line.

40.01 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
 Hickory 3 in. dia. bears N 63 W. 11 miles dist; and a  
 Beech 21 " " " S 69 E. 29 " "

64.00 To a Shell Bank Hickory 17 in. dia. stands in the line

80.00 Set a post for the cor. to sub. 11, 12, 13, & 14. from which a  
 Maple 14 in. dia. bears N 19 W. 15 miles dist; and  
 a Sugar 16 " " " S 40 E. 27 " "

Land 1<sup>st</sup>  $\frac{1}{2}$  mile level 1<sup>st</sup> rate; 2<sup>nd</sup>  $\frac{1}{2}$  mile broken 3<sup>rd</sup>  
 rate; Timber Walnut, Sugar, Ash, Cherry, Hackberry  
 W. Oak, Hickory, Beech &c. W. Spruce, Gallafra, Paw-  
 paw, Hogwood &c Nov. 29. 1819

West On a Random line between sub. 11 & 14 I N<sup>o</sup> 11. N.R. N<sup>o</sup> 27

40.00 Set a temporary  $\frac{1}{4}$  sec. post.

T. N<sup>o</sup> 11. N.R. N<sup>o</sup> 2 W. 2<sup>nd</sup> Mer. (Ind.)

- 52.54 To a Brook 8 miles wide; Course S. by W.  
 60.54 Intersected the N & S line 64 miles south of the first set  
 for the cor. of sec. 10. 11. 14 & 15. Land broken 3<sup>rd</sup> rate  
 Timber W. Oak, Beech, and Hickory Poplar &c  
 Undergrowth Dogwood, Ironwood, Prunus &c

- East On a true line between Sec. 11 & 14 T. N<sup>o</sup> 11. N.R. N<sup>o</sup> 2 W.  
 20.54 To a Beech 17 in. dia. stands in the line  
 40.02 Set the temporary post at the above distance on the true line  
 for the cor. to the 1/4 sec. from which a  
 Beech 16 in. dia. bears S 44 E. 11 miles distant; and a  
 Dogwood 5 " " " N 43 E 25 " "  
 60.27 To a Poplar 33 in. dia. stands in the line  
 80.04 To the post set for the cor. of sec. 11. 12. 13 & 14.

- East Between Sec. 12 & 13. T. N<sup>o</sup> 11. N.R. N<sup>o</sup> 2 W.  
 24.34 To a Beech 30 in. dia. stands in the line  
 40.00 Set a post for the cor. to the 1/4 sec. from which a  
 Sp. Oak 10 in. dia. stands S 53 E 12 miles dist; & a  
 W. Oak 14 " " " S 53 E 28 " "  
 55.50 To a Beech 17 in. dia. stands in the line  
 68.50 " " Brook 15 miles wide; Course South.  
 77.75 Intersected the East Boundary 3 1/2 ch North of the  
 post set for the cor. of sec. 12 & 13 and set a post for  
 the cor. of sec. 12 & 13 from which a  
 Sycamore 36 in. dia. bears S 48 W. 19 miles dist; and a  
 Beech 18 " " " N 40 W 27 " "  
 Land part level and part broken 3<sup>rd</sup> rate; Timber  
 Beech, W. & B. Oak Sp. Oak Hickory &c W. Spruce  
 Dogwood, Ironwood, Sassafras Prunus &c

- North Between Sec. 11 & 12 T. N<sup>o</sup> 11. N.R. N<sup>o</sup> 2 W.  
 22.45 To a Beech 17 in. dia. stands in the line.

T. N<sup>o</sup> 11. N.R. N<sup>o</sup> 277. 2<sup>nd</sup> Mer. (Ind.)

40.00 Set a post for the cor. to the  $\frac{1}{4}$  sec. from which a  
Logwood 4 in. dia. bears S49<sup>W</sup>. 25 miles dist; to  
Hickory 18 " " " N28<sup>E</sup>. 18 " "

61.37 To a B. Gum 16 in. dia. stands in the line

80.00 Set a post for the cor. of sec. 1. 2. 11. & 12 from which a  
Buck 13 in. dia. bears S85<sup>E</sup>. 17 miles dist; and a  
do 14 " " " N20<sup>W</sup>. 17 " "

Sand broken 2<sup>nd</sup> & 3<sup>rd</sup> rate; Timber Buck, Hickory  
W. Oak, Y. Oak, & undr. Logwood Sassafras  
Birch

West On a Random line between Sec. 2 & 11. T. N<sup>o</sup> 11. N.R. 277.

37.57 To a Brook 8 miles mid; Course S. E. E.

40.00 Set a temporary post for the cor. of  $\frac{1}{4}$  sec.

45.57 To a Brook 8 miles mid; Course S. E.

79.84 Intersect the N.B. line 68 miles South of the post set  
for the cor. of sec. 2. 3. 10 & 11 Sand part level and  
part broken 2<sup>nd</sup> & 3<sup>rd</sup> rate; Timber Buck, Sugar,  
W. Oak Hickory & W. Logwood Sassafras Hickory  
Birch

East On a true line between Sec. 2 & 11. T. N<sup>o</sup> 11. N.R. 277.

15.84 To a Shellbark Hickory 20 in dia stands in the line

39.92 Set the temp. post for the cor. to the  $\frac{1}{4}$  sec. for the cor.  
dist on the true line for the cor. to the  $\frac{1}{4}$  sec from which  
W. Oak 6 in dia bears N62<sup>E</sup>. 5 miles dist; & a  
Sassafras 14 " " " S54<sup>W</sup>. 14 " "

61.69 To a B. Oak 36 in dia. stands in the line.

79.84 To the post set for the cor. to sec. 1. 2. 11. & 12

East Return Sec. 1 & 12 T. N<sup>o</sup> 11. N.R. N<sup>o</sup> 277.

19.96 To a W. Oak 20 in. dia. stands in the line

39.90 To a Brook 6 miles mid; Course S. E. E.

43.

T. N<sup>o</sup> 11. N.R. N<sup>o</sup> 27. 2<sup>nd</sup> Mer. (Ind.)

- 40.00 Set a post for the cor. to the 1<sup>st</sup> sec. from which a  
 Hornbeam 5 in. dia. bears S 70 E. 14 links dist; to  
 Buck 15 " " " N 79 W 17 " "
- 59.60 To a Sugar 17 in. dia. stands in the line
- 64.30 " " Buck 10 links dist; course S. S. W.
- 65.15 " " " 16 " " " S. E.
- 68.09 " " " " " " " N. N. W.
- 70.45 " " " " " " " S. W.
- 77.85 Intersited the East Boundary 410 ch. N. of the post  
 set for the cor. of sec. 1 & 12 and set a post for the cor.  
 of sec. 1 & 12 from which a  
 Buck 8 in. dia. bears S 38 W. 7 links dist; to  
 L. 7 " " " N 28 W. 5 " "  
 Land part sold out to part to him 2<sup>nd</sup> & 3<sup>rd</sup> rate;  
 Timber Buck, W. B. & Sp. Oak, Hickory, Sugar &c  
 W. J. Dogmoodo Spice, Sassafras Brinst.

- North Return Sec. 11 of T. N<sup>o</sup> 11. N.R. N<sup>o</sup> 27.
- 22.45 To a Buck 13 in. dia. stands in the line
- 40.00 Set a post for the cor. to the 1<sup>st</sup> sec. from which a  
 W. Oak. 60 in. dia. bears N 45 W. 8 links dist; to  
 Buck 23 " " " S 75 E. 10 " "
- 57.45 To a Sp. Oak 16 in. dia. stands in the line.
- 71.76 Intersited the N. Boundary 270 ch. of the post set  
 for the cor. of sec. 35 & 36. T. N<sup>o</sup> 12 N.R. N<sup>o</sup> 27  
 set a post for the cor. of sec. 1 & 2 from which a  
 Poplar 18 in. dia. bears S 25 E. 4 links dist; to  
 L. 42 " " " N 38 W. 7 " "  
 Land Broken & 3<sup>rd</sup> rate; Timber Buck, W. B. Oak, Hick  
 ory, Sugar &c. W. J. Sassafras. Hickory, Oak brinst.  
 Dec. 13. 1819



## T. N. 11. N. R. N. 2 W. 2nd Mer. Ind.

## Meanders of White River.

Commencing at the post on the Right Bank in the line between Ranges 1 & 2 W. thence down stream

N 35 W 5.00 in sec. 25. Intersect the line between 24 & 25  
75.20 East of the post cut for the cor. of sec.  
23, 24, 25. 126 Width of the River on line 4.75

N 6 E. 3.50

N 19 E. 6.00 To the post on the Range line between Sec. 24  
T. N. 11. N. R. 2 W. & Sec. 19 T. N. 11. N. R. N. 1 W

N 25 E. 7.50

N 2 E. 3.50

These meanders belong in Sec. 19. T. N.  
11. N. R. N. 1 W.

N 4 W. 4.00

N 9 W. 2.50

N. 34 W. 3.50

N 44 W. 0.82

Intersect the Range line between Ranges 1 & 2 W.  
For width of River & length of lines see Iron  
Survey.

N 55 W. 6.50

N 84 W. 4.00

S 84 W. 5.00

S 79 W. 8.00

N 54 W. 5.00

N 31 W. 10.00

N 62 W. 4.50

N 84 W. 8.50

S 55 W. 5.00

To the mouth of a stream 15 miles on the course  
N W

S 27 W. 6.00

S 7 W. 4.00

S 17 E. 5.00

S 11 E. 6.50

S 28 E. 6.00

S 39 E. 8.50

S 51 E. 8.00

In Range 1 W.

Q45E.	5.00	
Q18E.	5.83	
<hr/>		To the line between Sec. 24 & 25. T. N. 11. N. R. 27. 49.14 East of the post set for the cor. of sec. 23. 24. 25. & 26. Width of the river on the line 4.60 ch. thence
Q177N.	7.00	
Q537N.	4.50	
Q757N.	4.50	
Q897N.	4.00	
N657N.	9.00	
N577N.	7.50	
N487N.	4.36	
<hr/>		To the post on the line between Sec. 24 & 25 - 17.66 East of the post set for the cor. of Sec. 23. 24. 25 & 26. Width of the river on the line is 5.66 ch. thence
N307N.	6.00	
N267N.	7.00	
N677N.	5.50	
N877N.	6.62	
<hr/>		To the post on the line between Sec. 23 & 24 - 14.23 North of the post set for the cor. of Sec. 23. 24. 25 & 26. Width of the river on the line 5.08 ch. thence
Q757N.	4.00	
Q477N.	5.00	
Q327N.	4.00	
Q177N.	6.50	
<hr/>		To the post on the line between Sec. 23 & 26 - 10.89 West of the cor. to Sec. 23. 24. 25 & 26. Width of the River on the line between Sec. 5.54 ch. thence
Q457N.	8.50	
N897N.	9.00	
Q567N.	7.50	
Q297N.	5.00	
Q477N.	4.50	
Q29E.	6.00	
Q48E.	4.50	

T. N. 11. N. R. N. 27. 2<sup>nd</sup> Mer. Ind. <sup>c</sup>

455 E.	4.50
950 E.	5.00
439 E.	6.50
41 E.	3.50
949 N.	8.50
461 N.	9.00
N 64 N.	5.00
N 34 N.	8.50
N 61 N.	7.00
N. 84 N.	4.50
Q 69 N.	5.00
S. 44 N.	5.00
S 26 N.	5.00
S 14 N.	4.00
S 25 N.	4.00
S 9 N.	7.50
411 E.	6.00
S 9 N.	4.50
928 N.	2.50

To the first on the line between Sec. 26 & 35 67.34  
West of the first set for the cor. of Sec. 25, 26, 35 & 36.  
Width of the River on the line 7.34 Ch. Nov. 30 1819

West	6.00
470 N.	4.50
S 56 N.	3.80

The first on the line between Sec. 34 & 35 76.80 N.  
of the first set for the cor. to Sec. 34 & 35. 2.10 N. R. 27.  
Width of the River on the line 3.90 Ch. thence

470 N.	8.50
482 N.	6.00
474 N.	5.00
471 N.	6.00
475 N.	4.50
471 N.	6.50
462 N.	20.00

448 W. 10.50.

446 W. 10.00

430 W. 10.00

441 W. 3.50

434 W. 3.67 To the post on the line between Sec. 33 & 34.

35.03 ch. North of the cr. to Sec 33 & 34—

Width of the on the line 5.32. ch. thence

457 W. 8.50

468 W. 6.50

475 W. 7.00

468 W. 13.50

460 W. 13.00

450 W. 10.00

438 W. 13.50

458 W. 7.50

479 W. 5.78.

To the post on the line between Sec. 32 & 33.—

75.30. North of the first cr. to Sec. 32 & 33.

Width of the River on the line 4.21. ch. thence

480 W. 5.00

451 W. 6.00

430 W. 5.00

South 9.50

416 E. 4.50

43 E. 3.00

425 E. 4.00

431 E. 4.00

45 W. 3.00

443 W. 2.00

476 W. 3.00

472 W. 5.00

483 W. 5.00

48 W. 9.00

N. 5 E. 9.00



## T. N. 11. N. R. N. 27. 2nd Mer. (Ind.)

N 13 W	3.50	
N 21 W	4.50	To the first on the line between Sec. 29, 32
		24-10 West of the first set for the cor. of Sec. 28, 29
		32, 33. North of the river on the line 4.95 ch.
N 38 W	4.00	
S 74 W	6.00	
S 80 W	6.50	
N 39 W	4.80	To the first on the line between Sec. 29, 32 - 40, 62
		West of the first set for the cor. to Sec. 28, 29, 32, 33
		North of the river on the line 6.62 ch. Thence
S 34 W	4.00	To a Brook 35 miles wide; Corner S.E.
S 24 W	5.00	
S 4 W	11.50	Surveyed by Tho. Brown
S 13 W	4.50	
S 22 W	2.80	To the first on the N.E. Corner of Harrison's
		Purchase cor. of tract Sec. 32
		Dec. 1st 1819.
		Commenced at the Township line between Towns 10 & 11 N.
		R. 2 W on the Right Bank of White River
N 41 W	5.18	
N 30 W	6.27	
N 24 W	8.89	
N 14 W	5.36	
N 3 W	6.29	
N 10 W	9.44	
N 4 W	1.98	
N 3 E	6.61	
N 26 E	6.09	To the N.E. Boundary of Harrison's Purchase
		Surveyed by William Harris & Co.

441

T. N. H. N. H. N. D. W. 2nd Mer. Ind. a

Meanders of White River. Left Bank. Commencing  
in the South Boundary of Sec. 32. T. N. H. N. H. N. D. W.  
thence up stream

I think the River was meandered only  
on one side up to the line On the NW 1/4 of Harrison's  
Purchase (Traverse)

Commenced on the N. E. Boundary of Harrison's. Pur-  
chase Sec. 32 thence up stream on the Left Bank.

N. 14 E. 15.00

N 4 E. 9.00

In Sec. 32.

N 27 E. 7.00

N 70 E. 2.54

To the first on the line between Sec. 29. & 32 - 34.00  
West of the cor. to Sec. 29. 30. 31. & 32. thence

East 4.50.

S 52 E. 3.50

South 7.00

S 11 W. 7.00

S 2 W. 9.00

S 11 E. 9.00

S 25 E. 9.50

S 54 E. 6.50

N 80 E. 7.30

N 38 E. 6.50

T. N<sup>o</sup> 11. N.R. N<sup>o</sup> 2 W. 2<sup>nd</sup> Mer. (Ind. 9)

N 14 E.	7.50	
N 17 W	15.50	
N 4 W	6.00	
N 50 E.	4.00	
N 70 E.	3.70	To the post on the line between Sec <sup>s</sup> 32 & 33. - 70.09 North of the post set for the cor. of sec. 32 & 33
S 13 E.	4.50	
S 36 E.	7.00	
S 49 E.	8.00	
S 55 E.	12.00	
S 47 E.	8.50	
S 61 E.	13.50	High Bluff and good stone quarry
S 77 E.	1.50	
S 84 E.	5.00	
S 69 E.	5.50	
S 66 E.	11.00	
S 50 E.	3.30	To the post on the line between Sec <sup>s</sup> 33 & 34 - 29.70 North of the post set for the cor. of sec. 33 & 34 To a Brook 10 miles wide; corner N.R.
East	0.75	
N 31 E.	2.50	
N 74 E.	5.00	
N 30 E.	4.50	
N 19 E.	9.00	
N 48 E.	7.00	
N 77 E.	12.00	
N 66 E.	4.00	
N 59 E.	6.50	
N 70 E.	11.00	
N 81 E.	7.00	
N 87 E.	7.00	
N 67 E.	5.50	
N 58 E.	9.00	
N 54 E.	3.50	To the post on the line between Sec <sup>s</sup> 34 & 35

T. N. 11. N. R. N. 2 W. 2<sup>nd</sup> Mer. Ind.

72.90 ch. N of the Post cor to Sect. 34 &amp; 35

N72E. 6.00

N79E. 4.00

N72E. 3.00

N89E. 6.50

To a Brook 15 miles wide, from S.E.

N51E. 2.50

N20E. 2.08

To the post on the line between Sect. 26 &amp; 35-61.00

West of the cor. to Sect. 25, 26, 35 &amp; 36. Nov. 2. 1819

N17E. 5.00

N8W. 12.00

N17E. 9.00

N32E. 5.00

N18E. 6.50

S68E. 3.50

S21E. 7.50

S54E. 7.00

N88E. 6.50

N60E. 6.00

N43E. 4.00

N64E. 7.50

N35E. 2.50

N28E. 10.00

N13W. 2.50

N39W. 3.50

N59W. 15.00

N42W. 4.00

N25W. 5.00

N15E. 4.50

N72E. 2.00

S87E. 7.00

N64E. 7.00

N40E. 8.00

N15W. 4.31

To the post on the line between Sect. 23 &amp; 26.



		5.35 West of the Sec. cor. 23, 24, 25 & 26.—
N 28 E.	6.00	
N 39 E.	5.00	To the post on the line between Sec. 23 & 24—9.15 North of the cor. to Sec. 23, 24, 25 & 26.
N 84 E.	4.50	
N 60 E.	3.50	
N 32 E.	8.00	To the post on the line between Sec. 24 & 25—12.00 East of the cor. to Sec. 23, 24, 25 & 26. Thence
N 39 E.	6.00	
N 48 E.	6.50	
N 60 E.	5.00	
N 64 E.	9.00	
N 79 E.	8.00	
N 71 E.	8.00	
N 42 E.	6.00	
N 19 E.	6.50	
N 27 N.	3.95	To the post on the line between Sec. 24 & 25 53.74 East of the cor. to Sec. 23, 24, 25 & 26. Thence
N 27 N.	3.00	
N 23 N.	6.00	
N 45 N.	18.50	
N 29 N.	4.50	
N 23 N.	7.50	
N 8 N.	5.00	
N 25 E.	5.00	
N 61 E.	4.00	
N 63 E.	3.50	
N 38 E.	8.50	
N 51 E.	5.50	
N 67 E.	8.50	
N 88 E.	10.50	
N 58 E.	5.00	
N 20 E.	4.50	

T<sup>n</sup> N<sup>o</sup> 11. N. R. N<sup>o</sup> 2 W. 2<sup>nd</sup> Mer. Ind.<sup>e</sup>

S 7 W.	4.00	
S 19 W.	3.50	
S 24 W.	5.00	
S 28 W.	4.50	
S 10 W.	3.50	
South	1.60	To the post on the line between Sec <sup>s</sup> 24, 25 = 70.54 East of the post set for the cor. of sec <sup>s</sup> 23, 24, 25 etc.
S 15 E.	7.50	
S 53 E.	5.00	
S 69 E.	1.65	To the post on the Range line between Ranges. 1 & 2 N. cor. of sec <sup>s</sup> 25 & 30. Aug 3 <sup>rd</sup> 1819.

Surveyed by  
Thomas Brown L.S.

I certify that the foregoing transcript of the  
Field notes of Township N<sup>o</sup> 11. North of Range  
N<sup>o</sup> 2 West of the 2<sup>nd</sup> Principal Meridian in In-  
diana, has been compared with the Original notes  
in this Office, and is found to be correct.

Surveyor General's Office

Cincinnati, Nov. 30<sup>th</sup> 1840

*E. S. Raine*

Sur. Genl.